

**SENATE  
STATE OF MINNESOTA  
NINETY-THIRD SESSION**

**S.F. No. 4074**

(SENATE AUTHORS: MCEWEN, Nelson and Boldon)

DATE	D-PG	OFFICIAL STATUS
02/22/2024	11706	Introduction and first reading Referred to Health and Human Services
05/02/2024	15819	Author added Nelson
05/13/2024	16658	Author added Boldon See SF4942, HF5247

1.1 A bill for an act

1.2 relating to health; making changes to permits for groundwater thermal exchange

1.3 devices; amending Minnesota Statutes 2022, section 103I.621, subdivisions 1, 2.

1.4 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MINNESOTA:

1.5 Section 1. Minnesota Statutes 2022, section 103I.621, subdivision 1, is amended to read:

1.6 Subdivision 1. **Permit.** (a) Notwithstanding any department or agency rule to the contrary,

1.7 the commissioner shall issue, on request by the owner of the property and payment of the

1.8 permit fee, permits for the reinjection of water by a properly constructed well into the same

1.9 aquifer from which the water was drawn for the operation of a groundwater thermal exchange

1.10 device.

1.11 (b) As a condition of the permit, an applicant must agree to allow inspection by the

1.12 commissioner during regular working hours for department inspectors.

1.13 (c) Not more than 200 permits may be issued for small systems having maximum

1.14 capacities of 20 gallons per minute or less and that are compliant with the natural resource

1.15 water-use requirements under subdivision 2. ~~The small systems are subject to inspection~~

1.16 ~~twice a year.~~

1.17 (d) Not more than ~~ten~~ 100 permits may be issued for larger systems having maximum

1.18 capacities ~~from over 20 to 50~~ from over 20 to 50 gallons per minute and are compliant with the natural resource

1.19 water-use requirements under subdivision 2. ~~The larger systems are subject to inspection~~

1.20 ~~four times a year.~~

2.1 (e) A person issued a permit must comply with this section and any permit conditions  
2.2 deemed necessary to protect public health and safety of groundwater for the permit to be  
2.3 valid.

2.4 (f) The property owner or the property owner's agent must submit to the commissioner  
2.5 a permit application on a form provided by the commissioner, or in a format approved by  
2.6 the commissioner, that provides any information necessary to protect public health and  
2.7 safety of groundwater.

2.8 (g) A permit granted under this section is not valid if a water-use permit is required for  
2.9 the project and is not approved by the commissioner of natural resources.

2.10 **EFFECTIVE DATE.** This section is effective the day following final enactment.

2.11 Sec. 2. Minnesota Statutes 2022, section 103I.621, subdivision 2, is amended to read:

2.12 Subd. 2. **Water-use requirements apply.** Water-use permit requirements and penalties  
2.13 under chapter ~~103F~~ 103G and related rules adopted and enforced by the commissioner of  
2.14 natural resources apply to groundwater thermal exchange permit recipients. A person who  
2.15 violates a provision of this section is subject to enforcement or penalties for the noncomplying  
2.16 activity that are available to the commissioner and the Pollution Control Agency.

2.17 **EFFECTIVE DATE.** This section is effective the day following final enactment.