

CHAPTER 6120
DEPARTMENT OF NATURAL RESOURCES
SHORELAND AND FLOODPLAIN
MANAGEMENT

6120 2500 DEFINITIONS
 6120 2600 POLICY
 6120 2800 SCOPE
 6120 3000 SHORELAND MANAGEMENT
 CLASSIFICATION SYSTEM
 6120 3100 LAND USE DISTRICTS

6120 3200 CRITERIA FOR LAND USE ZONING
 DISTRICT DESIGNATION
 6120 3300 ZONING PROVISIONS
 6120 3400 SANITARY PROVISIONS
 6120 3500 SUBDIVISION PROVISIONS
 6120 3800 PLANNED UNIT DEVELOPMENT
 6120 3900 ADMINISTRATION

6120.0100 [Repealed, 13 SR 3029]

6120.0200 [Repealed, 13 SR 3029]

6120.0300 [Repealed, 13 SR 3029]

6120.0400 [Repealed, 13 SR 3029]

6120.0500 [Repealed, 13 SR 3029]

6120.0600 [Repealed, 13 SR 3029]

6120.0700 [Repealed, 13 SR 3029]

6120.0800 [Repealed, 13 SR 3029]

6120.0900 [Repealed, 13 SR 3029]

6120.1000 [Repealed, 13 SR 3029]

6120.1100 [Repealed, 13 SR 3029]

6120.1200 [Repealed, 13 SR 3029]

6120.1300 [Repealed, 13 SR 3029]

6120.1400 [Repealed, 13 SR 3029]

6120.1500 [Repealed, 13 SR 3029]

6120.1600 [Repealed, 13 SR 3029]

6120.1700 [Repealed, 13 SR 3029]

6120.1800 [Repealed, 13 SR 3029]

6120.1900 [Repealed, 13 SR 3029]

6120.2000 [Repealed, 13 SR 3029]

6120.2100 [Repealed, 13 SR 3029]

6120.2500 DEFINITIONS.

Subpart 1. **Scope of terms; mandatory; distances.** For the purpose of parts 6120.2500 to 6120.3900, certain terms or words used shall be interpreted as follows: the word "shall" is mandatory, not permissive. All distances, unless otherwise specified, shall be measured horizontally.

Subp. 1a. **Accessory structure or facility.** "Accessory structure" or "facility" means any building or improvement subordinate to a principal use which, because of the nature of its use, can reasonably be located at or greater than normal structure setbacks.

Subp. 1b. **Bluff.** "Bluff" means a topographic feature such as a hill, cliff, or embankment having all of the following characteristics:

- A. part or all of the feature is located in a shoreland area;
- B. the slope rises at least 25 feet above the ordinary high water level of the waterbody;
- C. the grade of the slope from the toe of the bluff to a point 25 feet or more above the ordinary high water level averages 30 percent or greater; and
- D. the slope must drain toward the waterbody.

An area with an average slope of less than 18 percent over a distance for 50 feet or more shall not be considered part of the bluff.

Subp. 1c. **Bluff impact zone.** "Bluff impact zone" means a bluff and land located within 20 feet from the top of a bluff.

Subp. 2. **Boathouse.** "Boathouse" means a structure designed and used solely for the storage of boats or boating equipment.

Subp. 3. **Building line.** "Building line" means a line parallel to a lot line or the ordinary high water level at the required setback beyond which a structure may not extend.

Subp. 3a. **Commercial planned unit developments.** "Commercial planned unit developments" are typically uses that provide transient, short-term lodging spaces, rooms, or parcels and their operations are essentially service-oriented. For example, hotel/motel accommodations, resorts, recreational vehicle and camping parks, and other primarily service-oriented activities are commercial planned unit developments.

Subp. 3b. **Commercial use.** "Commercial use" means the principal use of land or buildings for the sale, lease, rental, or trade of products, goods, and services.

Subp. 3c. **Commissioner.** "Commissioner" means the commissioner of the Department of Natural Resources.

Subp. 4. [Repealed, 13 SR 3029]

Subp. 5. **Conditional use.** "Conditional use" means a use as this term is defined in Minnesota Statutes, chapter 394.

Subp. 6. [Repealed, 13 SR 3029]

Subp. 6a. **Deck.** "Deck" means a horizontal, unenclosed platform with or without attached railings, seats, trellises, or other features, attached or functionally related to a principal use or site and at any point extending more than three feet above ground.

Subp. 6b. **Duplex, triplex, and quad.** "Duplex," triplex," and "quad" means a dwelling structure on a single lot, having two, three, and four units respectively, being attached by common walls and each unit equipped with separate sleeping, cooking, eating, living, and sanitation facilities.

Subp. 6c. **Dwelling site.** "Dwelling site" means a designated location for residential use by one or more persons using temporary or movable shelter, including camping and recreational vehicle sites.

Subp. 6d. **Dwelling unit.** "Dwelling unit" means any structure or portion of a structure, or other shelter designed as short- or long-term living quarters for one or more persons, including rental or timeshare accommodations such as motel, hotel, and resort rooms and cabins.

Subp. 6e. **Extractive use.** "Extractive use" means the use of land for surface or subsurface removal of sand, gravel, rock, industrial minerals, other nonmetallic minerals, and peat not regulated under Minnesota Statutes, sections 93.44 to 93.51.

Subp. 6f. **Forest land conversion.** "Forest land conversion" means the clear cutting of forested lands to prepare for a new land use other than reestablishment of a subsequent forest stand.

Subp. 6g. **Guest cottage.** "Guest cottage" means a structure used as a dwelling unit that may contain sleeping spaces and kitchen and bathroom facilities in addition to those provided in the primary dwelling unit on a lot.

Subp. 7. **Hardship.** "Hardship" means the same as that term is defined in Minnesota Statutes, chapter 394.

Subp. 7a. **Height of building.** "Height of building" means the vertical distance between the highest adjoining ground level at the building or ten feet above the lowest ground level, whichever is lower, and the highest point of a flat roof or average height of the highest gable of a pitched or hipped roof.

Subp. 7b. **Industrial use.** "Industrial use" means the use of land or buildings for the production, manufacture, warehousing, storage, or transfer of goods, products, commodities, or other wholesale items.

Subp. 7c. **Intensive vegetation clearing.** "Intensive vegetation clearing" means the complete removal of trees or shrubs in a contiguous patch, strip, row, or block.

Subp. 8. **Lot.** "Lot" means a parcel of land designated by plat, metes and bounds, registered land survey, auditors plot, or other accepted means and separated from other parcels or portions by said description for the purpose of sale, lease, or separation.

Subp. 9. **Lot width.** "Lot width" means the shortest distance between lot lines measured at the midpoint of the building line.

Subp. 10. **Nonconformity.** "Nonconformity" means the same as that term is defined or described in Minnesota Statutes, chapter 394.

Subp. 11. **Ordinary high water level.** "Ordinary high water level" means the boundary of public waters and wetlands, and shall be an elevation delineating the highest water level which has been maintained for a sufficient period of time to leave evidence upon the landscape, commonly that point where the natural vegetation changes from predominantly aquatic to predominantly terrestrial. For watercourses, the ordinary high water level is the elevation of the top of the bank of the channel. For reservoirs and flowages, the ordinary high water level is the operating elevation of the normal summer pool.

Subp. 12. **Planned unit development.** "Planned unit development" means a type of development characterized by a unified site design for a number of dwelling units or dwelling sites on a parcel, whether for sale, rent, or lease, and also usually involving clustering of these units or sites to provide areas of common open space, density increases, and a mix of structure types and land uses. These developments may be organized and operated as condominiums, time-share condominiums, cooperatives, full fee ownership, commercial enterprises, or any combination of these, or cluster subdivisions of dwelling units, residential condominiums, townhouses, apartment buildings, campgrounds, recreational vehicle parks, resorts, hotels, motels, and conversions of structures and land uses to these uses.

Subp. 13. **Public waters.** "Public waters" means any waters as defined in Minnesota Statutes, section 105.37, subdivisions 14 and 15. However, no lake, pond, or flowage of less than ten acres in size in municipalities and 25 acres in size in unincorporated areas need be regulated for the purposes of parts 6120.2500 to 6120.3900. A body of water created by a private user where there was no previous shoreland may, at the discretion of the local government, be exempted from parts 6120.2500 to 6120.3900.

The official determination of the size and physical limits of drainage areas of rivers and streams shall be made by the commissioner.

Subp. 13a. **Residential planned unit development.** "Residential planned unit development" means a use where the nature of residency is nontransient and the major or primary focus of the development is not service-oriented. For example, residential apartments, manufactured home parks, time-share condominiums,

townhouses, cooperatives, and full fee ownership residences would be considered as residential planned unit developments.

Subp. 13b. Semipublic use. "Semipublic use" means the use of land by a private, nonprofit organization to provide a public service that is ordinarily open to some persons outside the regular constituency of the organization.

Subp. 13c. Sensitive resource management. "Sensitive resource management" means the preservation and management of areas unsuitable for development in their natural state due to constraints such as shallow soils over groundwater or bedrock, highly erosive or expansive soils, steep slopes, susceptibility to flooding, or occurrence of flora or fauna in need of special protection.

Subp. 14. Setback. "Setback" means the minimum horizontal distance between a structure, sewage treatment system, or other facility and an ordinary high water level, sewage treatment system, top of a bluff, road, highway, property line, or other facility.

Subp. 14a. Sewage treatment system. "Sewage treatment system" means a septic tank and soil absorption system or other individual or cluster type sewage treatment system as described and regulated in chapter 7080.

Subp. 14b. Sewer system. "Sewer system" means pipelines or conduits, pumping stations, and force main, and all other constructions, devices, appliances, or appurtenances used for conducting sewage or industrial waste or other wastes to a point of ultimate disposal.

Subp. 14c. Shore impact zone. "Shore impact zone" means land located between the ordinary high water level of a public water and a line parallel to it at a setback of 50 percent of the structure setback.

Subp. 15. Shoreland. "Shoreland" means land located within the following distances from public water: 1,000 feet from the ordinary high water level of a lake, pond, or flowage; and 300 feet from a river or stream, or the landward extent of a flood plain designated by ordinance on a river or stream, whichever is greater. The limits of shorelands may be reduced whenever the waters involved are bounded by topographic divides which extend landward from the waters for lesser distances and when approved by the commissioner.

Subp. 15a. Significant historic site. "Significant historic site" means any archaeological site, standing structure, or other property that meets the criteria for eligibility to the National Register of Historic Places or is listed in the State Register of Historic Sites, or is determined to be an unplatted cemetery that falls under the provisions of Minnesota Statutes, section 307.08. A historic site meets these criteria if it is presently listed on either register or if it is determined to meet the qualifications for listing after review by the Minnesota state archaeologist or the director of the Minnesota Historical Society. All unplatted cemeteries are automatically considered to be significant historic sites.

Subp. 15b. Steep slope. "Steep slope" means land where agricultural activity or development is either not recommended or described as poorly suited due to slope steepness and the site's soil characteristics, as mapped and described in available county soil surveys or other technical reports, unless appropriate design and construction techniques and farming practices are used in accordance with the provisions of these regulations. Where specific information is not available, steep slopes are lands having average slopes over 12 percent, as measured over horizontal distances of 50 feet or more, that are not bluffs.

Subp. 16. Structure. "Structure" means any building or appurtenance, including decks, except aerial or underground utility lines, such as sewer, electric, telephone, telegraph, gas lines, towers, poles, and other supporting facilities.

Subp. 17. Subdivision. "Subdivision" means land that is divided for the purpose of sale, rent, or lease, including planned unit development.

Subp. 18. [Repealed, 13 SR 3029]

Subp. 18a. Surface water-oriented commercial use. "Surface water-oriented

commercial use” means the use of land for commercial purposes, where access to and use of a surface water feature is an integral part of the normal conductance of business. Marinas, resorts, and restaurants with transient docking facilities are examples of such use.

Subp. 18b. **Toe of the bluff.** “Toe of the bluff” means the lower point of a 50-foot segment with an average slope exceeding 18 percent.

Subp. 18c. **Top of the bluff.** “Top of the bluff” means the higher point of a 50-foot segment with an average slope exceeding 18 percent.

Subp. 19. **Variance.** “Variance” means the same as that term is defined or described in Minnesota Statutes, chapter 394.

Subp. 20. **Water-oriented accessory structure or facility.** “Water-oriented accessory structure or facility” means a small, above ground building or other improvement, except stairways, fences, docks, and retaining walls, which, because of the relationship of its use to a surface water feature, reasonably needs to be located closer to public waters than the normal structure setback. Examples of such structures and facilities include boathouses, gazebos, screen houses, fish houses, pump houses, and detached decks.

Subp. 21. **Wetland.** “Wetland” means a surface water feature classified as a wetland in the United States Fish and Wildlife Service Circular No. 39 (1971 edition), which is hereby incorporated by reference, is available through the Minitex interlibrary loan system, and is not subject to frequent change.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.2600 POLICY.

The uncontrolled use of shorelands adversely affects the public health, safety, and general welfare by contributing to pollution of public waters and by impairing the local tax base. In furtherance of the policies declared in Minnesota Statutes, chapters 105, 115, 116, 394, 396, and 462, the commissioner provides the following minimum standards and criteria for the subdivision, use, and development of the shorelands of public waters. The standards and criteria are intended to preserve and enhance the quality of surface waters, conserve the economic and natural environmental values of shorelands, and provide for the wise use of water and related land resources of the state.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.2700 [Repealed, 13 SR 3029]

6120.2800 SCOPE.

Subpart 1. **Responsibilities and authorities.** These minimum standards and criteria apply to those shorelands of public waters of the state which are subject to local government land use controls. They are intended to be incorporated into local government shoreland management controls. Each local government is responsible for administration and enforcement of its shoreland management controls adopted in compliance with these standards and criteria. Nothing in these standards and criteria shall be construed as prohibiting or discouraging a local government from adopting and enforcing controls that are more restrictive.

Subp. 1a. **North Shore Management plan.** The minimum standards and criteria for the subdivision, use, and development of the shoreland of Lake Superior, other than for the city of Duluth, are those specified in the North Shore Management plan, A Shoreland Management Plan for Lake Superior’s North Shore, December 1988, adopted by the North Shore Management Board on November 29, 1988. The plan is incorporated by reference, is available through the Minitex interlibrary loan system, and is not subject to frequent change.

Local governments shall comply with part 6120.3900, subpart 6, in administration of their shoreland management controls.

Local governments shall adopt shoreland management controls conforming to the North Shore Management Plan within 18 months of the effective date of this part.

Subp. 2. Adoption schedule. Counties, and those cities designated by the commissioner in consultation with the appropriate county, must adopt or amend land use controls to bring them into substantial compliance with these standards and criteria within two years of being notified by the commissioner.

Subp. 3. Implementation flexibility. Local governments may, under special circumstances and with the commissioner's approval, adopt shoreland management controls that are not in strict conformity with these minimum standards and criteria, provided the purposes of Minnesota Statutes, section 105.485, are satisfied.

A. Special circumstances may include the following situations:

(1) where shorelands have been developed with an assortment of urban land uses for many years and much of the development does not meet the standards in parts 6120.2500 to 6120.3900;

(2) cities with central business districts located within shorelands;

(3) cities whose only shorelands are along rivers classified as tributary;

(4) small cities that have not had, and do not anticipate, much development activity within shorelands;

(5) counties or portions of counties with topography or vegetation characteristics that would make use of particular minimum state standards impractical;

(6) shorelands that are managed under other water and related land resource management programs authorized by state or federal legislation with goals compatible with Minnesota Statutes, section 105.485, and parts 6120.2500 to 6120.3900; or

(7) individual lakes or systems of lakes that are being managed under standards developed specifically for these water resources after a comprehensive study and planning effort.

B. Alternative management standards may use the following concepts and approaches, or others:

(1) expanded or different public waters classification systems;

(2) designation of areas where land use districts and associated standards are more restrictive than these standards and criteria as trade-offs for other areas where they are less restrictive;

(3) standards and other management approaches that are developed for specific water resources after a comprehensive evaluation and planning effort;

(4) standards developed to take into account commonly occurring hydrologic, geologic, property ownership, topographic, and vegetation patterns and shoreland accessibility issues that would make use of these standards and criteria impractical; or

(5) other types of management or acquisition programs such as stormwater management and public land acquisition programs that reduce the need for use of specific standards in parts 6120.2500 to 6120.3900.

C. Local governments must request consideration of an alternative approach under this subpart and must provide written justification and supporting information, maps, and documents, as appropriate, to justify the request to the commissioner, including the following:

(1) existing land use plans and controls for shorelands of each public water;

(2) for the shorelands of each public water, the number, average size, and percent of shoreline occupied by undeveloped lots of record and land in public ownership;

(3) characteristics of existing development, including types, densities, heights, colors, and presence or absence of screening vegetation or topography;

(4) presence or absence of public sewer and stormwater management practices or facilities; and

(5) explanations of how deviations from state standards are justified.

D. The commissioner shall respond to the local government's request for consideration of an alternative approach under this subpart in accordance with subitems (1) to (5).

(1) The commissioner shall in writing acknowledge and approve or deny the request within 60 days of receipt of the request and all necessary supporting documents and technical data. For extraordinarily complex issues and requests involving multigovernment coordination or multiorganization coordination, the commissioner and the affected local units of government may mutually agree to an extension of the 60-day response.

(2) The commissioner in the approval or denial pursuant to this subpart shall state to the local governments the reasons for the approval or denial and, as appropriate, suggest alternative solutions or regulatory approaches that would be acceptable to the commissioner.

(3) The local governments proposing the alternative control and the commissioner shall solicit the input of the public and other governmental bodies that could be affected by the alternate control.

(4) Alternate shoreland controls must be approved by other units of government having adjacent land use authority impacted by the alternate controls.

(5) The local government either proposing an alternate local control or a local government being impacted by an alternate local control may request a contested case hearing under Minnesota Statutes, section 105.44, subdivision 3.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029; 14 SR 1718*

6120.2900 [Repealed, 13 SR 3029]

6120.3000 SHORELAND MANAGEMENT CLASSIFICATION SYSTEM.

Subpart 1. **Criteria.** The commissioner shall classify all public waters in accordance with the following criteria:

- A. size and shape;
- B. amount and type of existing development;
- C. road and service center accessibility;
- D. existing natural characteristics of the waters and shorelands;
- E. state, regional, and local plans and management programs;
- F. existing land use restrictions; and
- G. presence of significant historic sites.

Subp. 1a. **Classes.** The classes of public waters are natural environment lakes, recreational development lakes, general development lakes, remote river segments, forested river segments, transition river segments, agricultural river segments, urban river segments, and tributary river segments. All of the river classes except tributary consist of watercourses that have been identified as being recreationally significant on a statewide basis. The tributary class consists of all

other watercourses identified in the protected waters inventory. General descriptions of each class follow:

A. Natural environment lakes are generally small, often shallow lakes with limited capacities for assimilating the impacts of development and recreational use. They often have adjacent lands with substantial constraints for development such as high water tables, exposed bedrock, and unsuitable soils. These lakes, particularly in rural areas, usually do not have much existing development or recreational use.

B. Recreational development lakes are generally medium-sized lakes of varying depths and shapes with a variety of landform, soil, and groundwater situations on the lands around them. They often are characterized by moderate levels of recreational use and existing development. Development consists mainly of seasonal and year-round residences and recreationally-oriented commercial uses. Many of these lakes have capacities for accommodating additional development and use.

C. General development lakes are generally large, deep lakes or lakes of varying sizes and depths with high levels and mixes of existing development. These lakes often are extensively used for recreation and, except for the very large lakes, are heavily developed around the shore. Second and third tiers of development are fairly common. The larger examples in this class can accommodate additional development and use.

D. Remote river segments are primarily located in roadless, forested, sparsely-populated areas of the northeastern part of the state. Common land uses include multiple-use forestry, some recreation facilities, and occasional seasonal or year-round residential. Low intensity recreational uses of these river segments and adjacent lands are common. This class has limited potential for additional development and recreational use due to land suitability and road access constraints.

E. Forested river segments are located in forested, sparsely to moderately populated areas with some roads in the north-central part of the state. Predominant land uses include multiple-use forestry, some recreation facilities, seasonal residential, and, within commuting distances of several cities, some year-round residential. Low-intensity recreational uses of these rivers and adjacent lands are common. This class has substantial potential for additional development and recreational use.

F. Transition river segments are generally either located within the Minnesota and Mississippi river valleys, or within the middle reaches of several rivers in all regions except the north-central and northeast. Common land uses include forested within riparian strips and mixtures of cultivated, pasture, and forested beyond. Some seasonal and year-round residential development exists, particularly within commuting distance of major cities. The types and intensities of recreational uses within this class vary widely.

G. Agricultural river segments are located in well-roaded, intensively cultivated areas of the western and southern regions of the state. Cultivated crops are the predominant land use, with some pasture and occasional feedlots, small municipalities, and small forested areas. Residential development is not common, but some year-round residential use is occurring within commuting distances of major cities. Some intensive recreational use occurs on these river segments in particular areas, but overall recreational use of these waters and adjacent lands is low. Although potential exists for additional development and recreation, water quality constraints and competing land uses, particularly agriculture, will inhibit expansions.

H. Urban river segments are located within or adjacent to major cities throughout the state. A variety of residential and other urban land uses exists within these segments. Recreational uses of these segments and adjacent lands

are common, but vary widely in types and intensities. These segments have potential for additional development, for redevelopment, and for additional recreational use, although recreational use on some of these segments competes with commercial river traffic.

I. Tributary river segments consist of watercourses mapped in the Protected Waters Inventory that have not been assigned one of the river classes in items D to H. These segments have a wide variety of existing land and recreational use characteristics. The segments have considerable potential for additional development and recreational use, particularly those located near roads and cities.

Subp. 2. Supporting data. Supporting data for shoreland management classifications is supplied by the records and files of the Department of Natural Resources, including maps, lists, and other products of the Protected Waters Inventory; data and publications of the Shoreland Update Project; the Minnesota Department of Natural Resources Statewide Outstanding Rivers Inventory; Bulletin No. 25 (1968); and Supplementary Report No. 1 - Shoreland Management Classification System for Public Waters (1976) of the Division of Waters, Minnesota's Lakeshore, part 2, Statistical Summary, Department of Geography, University of Minnesota; and additional supporting data may be supplied, as needed, by the commissioner. These publications are incorporated by reference, are available through the Minitex interlibrary loan system, and are not subject to frequent change.

Subp. 3. Classification procedures. Public waters shall be classified by the commissioner. The commissioner shall document each classification with appropriate supporting data. A preliminary list of classified public waters shall be submitted to each affected local government. Each affected local government shall be given an opportunity to request a change in the proposed classification. If a local government feels such a change is needed, a written request with supporting data may be submitted to the commissioner for consideration. If a local government requests a change in a proposed shoreland management classification and the public water is located partially within the jurisdiction of another governmental unit, the commissioner shall review the recommendations of the other governmental units before making a final decision on the proposed change.

Subp. 4. Reclassification. The commissioner may, as the need arises, reclassify any public water. Also, any local government may at any time submit a resolution and supporting data requesting a change in any shoreland management classification of waters within its jurisdiction to the commissioner for consideration.

Subp. 5. Modification and expansion of system. The commissioner may, as the need arises, modify or expand the shoreland classification system to provide specialized shoreland management standards based upon unique characteristics and capabilities of any public waters.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.3100 LAND USE DISTRICTS.

The development of shorelands of public waters must be controlled by means of land use zoning districts which are designated to be compatible with the classes of public waters in part 6120.3000. Land use zoning districts may be established to provide for:

A. the management of areas unsuitable for development due to wet soils, steep slopes, flooding, inadequate drainage, severe erosion potential, presence of significant historic sites, or any other feature likely to be harmful to the health, safety, or welfare of the residents of the community;

B. the reservation of areas suitable for residential development from encroachment by commercial and industrial uses;

C. the centralization of service facilities for residential areas and enhancement of economic growth for those areas suitable for limited commercial development;

D. the management of areas for commercial or industrial uses which, by their nature, require location in shoreland areas;

E. the protection of valuable agricultural lands from conversion to other uses; and

F. the preservation and enhancement of the quality of water-based recreational use of public waters including provisions for public accesses.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.3200 CRITERIA FOR LAND USE ZONING DISTRICT DESIGNATION.

Subpart 1. **Criteria.** The land use zoning districts established by local governments must be based on considerations of:

A. preservation of natural areas;

B. present ownership and development of shoreland areas;

C. shoreland soil types and their engineering capabilities;

D. topographic characteristics;

E. vegetative cover;

F. in-water physical characteristics, values, and constraints;

G. recreational use of the surface water,

H. road and service center accessibility;

I. socioeconomic development needs and plans as they involve water and related land resources;

J. the land requirements of industry which, by its nature, requires location in shoreland areas; and

K. the necessity to preserve and restore certain areas having significant historical or ecological value.

Subp. 2. **Designation of zoning districts.** Local governments with adopted land use zoning districts in effect on the date of adoption of parts 6120.2500 to 6120.3900 may continue to use the districts until revisions are proposed. When amendments to zoning districts on lakes are considered, local governments, at least for all the shoreland within the community of the public water involved and preferably for all shoreland areas within the community, must revise existing zoning district and use provisions to make them substantially compatible with the framework in subpart 4. On a river, zoning districts and use provisions for all shoreland on both sides within the same class in the community must be revised to make them substantially compatible with the framework in subpart 5. If the same river class is contiguous for more than a five-mile segment, only the shoreland for a distance of 2.5 miles up and down stream or to the class boundary, if closer, need be evaluated. When an interpretation question arises about whether a specific land use fits within a category in subpart 4 or 5, the question must be resolved through procedures in local government official controls and state statutes.

Subp. 3. **Land use district descriptions.** Land use district descriptions are as follows:

A. A special protection district is intended to be used for two basic purposes. The first purpose is to limit and properly manage development in areas that are generally unsuitable for development or uses due to flooding, erosion, limiting soil conditions, steep slopes, or other major physical constraints. A second purpose is to manage and preserve areas with special historical, natural, or biological characteristics.

B. A residential district is primarily intended to allow low to medium density seasonal and year-round residential uses on lands suitable for such uses. It is also intended to prevent establishment of various commercial, industrial, and other uses in these areas that cause conflicts or problems for residential uses. Some nonresidential uses with minimal impacts on residential uses are allowed if properly managed under conditional use procedures.

C. A high density residential district is intended for use on lands with heterogeneous mixes of soils, vegetation, and topography that are not well suited to residential development using standard, lot-block subdivisions. This approach enables such areas to be developed, often even with higher than lot-block densities, while also avoiding and preserving unsuitable terrain and soils. Other compatible uses such as residential planned unit development, surface water-oriented commercial, multiple unit single-family, parks, historic sites, and semipublic, are also allowed, primarily as conditional uses.

D. A water-oriented commercial district is intended to be used only to provide for existing or future commercial uses adjacent to water resources that are functionally dependent on such close proximity.

E. A general use district is intended to be used only for lands already developed or suitable for development with concentrated urban, particularly commercial, land uses. It should not generally be used on natural environment lakes or remote river classes. Several other intensive urban uses such as industrial and commercial planned unit development are allowed in this district if handled as conditional uses.

Subp. 4. Shoreland classifications and uses; lakes. For the lake classes, districts, and uses in this subpart, P = permitted uses, C = conditional uses, and N = prohibited uses.

A. Lake classes in special protection districts.

Uses	General development	Recreational development	Natural environment
Forest management	P	P	P
Sensitive resource management	P	P	P
Agricultural: cropland and pasture	P	P	P
Agricultural feedlots	C	C	C
Parks and historic sites	C	C	C
Extractive use	C	C	C
Single residential	C	C	C
Mining of metallic minerals and peat	P	P	P

B. Lake classes in residential districts.

Uses	General development	Recreational development	Natural environment
Single residential	P	P	P
Semipublic	C	C	C
Parks and historic sites	C	C	C
Extractive use	C	C	C
Duplex, triplex, quad residential	P	P	C
Forest management	P	P	P
Mining of metallic minerals and peat	P	P	P

C. Lake classes in high density residential districts.

Uses	General development	Recreational development	Natural environment
Residential planned unit developments	C	C	C
Single residential	P	P	P
*Surface water oriented commercial	C	C	C
Semipublic	C	C	C
Parks and historic sites	C	C	C
Duplex, triplex, quad residential	P	P	P
Forest management	P	P	P

D. Lake classes in water-oriented commercial districts.

Uses	General development	Recreational development	Natural environment
Surface water-oriented commercial	P	P	C
**Commercial planned unit development	C	C	C
Public, semipublic	C	C	C
Parks and historic sites	C	C	C
Forest management	P	P	P

E. Lake classes in general use districts.

Uses	General development	Recreational development	Natural environment
Commercial	P	P	C
**Commercial planned unit development	C	C	C
Industrial	C	C	N
Public, semipublic	P	P	C
Extractive use	C	C	C
Parks and historic sites	C	C	C
Forest management	P	P	P
Mining of metallic minerals and peat	P	P	P

*As accessory to a residential planned unit development

** Limited expansion of a commercial planned unit development involving up to six additional dwelling units or sites may be allowed as a permitted use provided the provisions of part 6120.3800, subpart 2, are satisfied

Subp. 5. Shoreland classifications and uses; rivers. For the river classes, districts, and uses in this subpart, P = permitted uses, C = conditional uses, and N = prohibited uses.

A. River classes in special protection districts.

Uses	Re-mote	For-ested	Trans-ition	Agri-cultural	Urban	Tribu-tary
Forest management	P	P	P	P	P	P
Sensitive resource management	P	P	P	P	P	P
Agricultural: cropland and pasture	P	P	P	P	P	P
Agricultural feedlots	C	C	C	C	C	C
Parks and historic sites	C	C	C	C	C	C

Extractive use	C	C	C	C	C	C
Single residential	C	C	C	C	C	C
Mining of metallic minerals and peat	P	P	P	P	P	P

B. River classes in residential districts.

Uses	Re-mote	For-ested	Trans-ition	Agri-cultural	Urban	Tribu-tary
Single residential	P	P	P	P	P	P
Semipublic	C	C	C	C	C	P
Parks and historic sites	C	C	C	C	C	P
Extractive use	C	C	C	C	C	C
Duplex, triplex, quad residential	C	C	C	C	P	C
Forest management	P	P	P	P	P	P
Mining of metallic minerals and peat	P	P	P	P	P	P

C. River classes in high density residential districts.

Uses	Re-mote	For-ested	Trans-ition	Agri-cultural	Urban	Tribu-tary
Residential planned unit developments	C	C	C	C	C	C
Single residential	P	P	P	P	P	P
*Surface water oriented commercial	C	C	C	C	C	C
Semipublic	C	C	C	C	C	C
Parks and historic sites	C	C	C	C	C	C
Duplex, triplex, quad residential	P	P	P	P	P	P
Forest management	P	P	P	P	P	P

D. River classes in water-oriented commercial districts.

Uses	Re-mote	For-ested	Trans-ition	Agri-cultural	Urban	Tribu-tary
Surface water-oriented commercial	C	C	C	C	C	C
**Commercial planned unit development	C	C	C	C	C	C
Public, semipublic	C	C	C	P	P	P
Parks and historic sites	C	C	C	C	C	C
Forest management	P	P	P	P	P	P

E. River classes in general use districts.

Uses	Re-mote	For-ested	Trans-ition	Agri-cultural	Urban	Tribu-tary
Commercial	C	C	C	C	P	C
**Commercial planned unit development	C	C	C	C	C	C
Industrial	N	C	N	N	C	C
Public, semipublic	C	C	C	C	P	C
Extractive use	C	C	C	C	C	C
Parks and historic sites	C	C	C	C	C	C
Forest management	P	P	P	P	P	P

Mining of metallic
minerals and peat

P P P P P P

*As accessory to a residential planned unit development

** Limited expansion of a commercial planned unit development involving up to six additional dwelling units or sites may be allowed as a permitted use provided the provisions of part 6120.3800, subpart 2, are satisfied

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.3300 ZONING PROVISIONS.

Subpart 1. **Purpose.** To manage the effects of shoreland and water surface crowding, to prevent pollution of surface and ground waters of the state, to provide ample space on lots for sewage treatment systems, to minimize flood damages, to maintain property values, to maintain historic values of significant historic sites, and to maintain natural characteristics of shorelands and adjacent water areas, shoreland controls must regulate lot sizes, placement of structures, and alterations of shoreland areas.

Subp. 2. **Residential lot size.** All single, duplex, triplex, and quad residential lots created after the date of enactment of the local shoreland controls must meet or exceed the dimensions presented in subparts 2a and 2b, and the following:

A. Lots must not be occupied by any more dwelling units than indicated in subparts 2a and 2b. Residential subdivisions with dwelling unit densities exceeding those in the tables in subparts 2a and 2b can only be allowed if designed and approved as residential planned unit developments under part 6120.3800. Only land above the ordinary high water level of public waters can be used to meet lot area standards, and lot width standards must be met at both the ordinary high water level and at the building line. The sewer lot area dimensions in subpart 2a, items D to F can only be used if publicly owned sewer system service is available to the property.

B. On natural environment lakes, subdivisions of duplexes, triplexes, and quads must also meet the following standards:

(1) Each building must be set back at least 200 feet from the ordinary high water level.

(2) Each building must have common sewage treatment and water systems that serve all dwelling units in the building.

(3) Watercraft docking facilities for each lot must be centralized in one location and serve all dwelling units in the building.

(4) No more than 25 percent of a lake's shoreline can be in duplex, triplex, or quad developments.

C. One guest cottage may be allowed in local controls on lots meeting or exceeding the duplex dimensions presented in subparts 2a and 2b if the controls also require all of the following standards to be met:

(1) For lots exceeding the minimum lot dimensions of duplex lots, the guest cottage must be located within the smallest duplex-sized lot that could be created including the principal dwelling unit.

(2) A guest cottage must not cover more than 700 square feet of land surface and must not exceed 15 feet in height.

(3) A guest cottage must be located or designed to reduce its visibility as viewed from public waters and adjacent shorelands by vegetation, topography, increased setbacks, color, or other means acceptable to the local unit of government, assuming summer leaf-on conditions.

D. Lots of record in the office of the county recorder on the date of enactment of local shoreland controls that do not meet the requirements of items A to E and subparts 2a and 2b may be allowed as building sites without variances from lot size requirements provided the use is permitted in the zoning district,

the lot has been in separate ownership from abutting lands at all times since it became substandard, was created compliant with official controls in effect at the time, and sewage treatment and setback requirements of the shoreland controls are met. Necessary variances from setback requirements must be obtained before any use, sewage treatment system, or building permits are issued for the lots. In evaluating all the variances, boards of adjustment shall consider sewage treatment and water supply capabilities or constraints of the lots and shall deny the variances if adequate facilities cannot be provided. If, in a group of two or more contiguous lots under the same ownership, any individual lot does not meet the requirements of items A to E and subparts 2a and 2b, the lot must not be considered as a separate parcel of land for the purposes of sale or development. The lot must be combined with the one or more contiguous lots so they equal one or more parcels of land, each meeting the requirements of items A to E and subparts 2a and 2b as much as possible. Local shoreland controls may set a minimum size for nonconforming lots or impose their restrictions on their development.

E. If allowed by local governments, lots intended as controlled accesses to public waters or recreation areas for use by owners of nonriparian lots within subdivisions must meet or exceed the following standards:

(1) They must meet the width and size for residential lots, and be suitable for the intended uses of controlled access lots. If docking, mooring, or over-water storage of watercraft is to be allowed at a controlled access lot, then the width of the lot must be increased by the percent of the requirements for riparian residential lots for each watercraft provided for by covenant beyond six, consistent with the following table:

Controlled Access Lot Frontage Requirements

Ratio of lake size to shore length (acres/mile)	Required increase in frontage (percent)
Less than 100	25
100-200	20
201-300	15
301-400	10
Greater than 400	5

(2) They must be jointly owned by all purchasers of lots in the subdivision or by all purchasers of nonriparian lots in the subdivision who are provided riparian access rights on the access lot.

(3) Covenants or other equally effective legal instruments must be developed that specify which lot owners have authority to use the access lot and what activities are allowed. The activities may include watercraft launching, loading, storage, beaching, mooring, or docking. They must also include other outdoor recreational activities that do not significantly conflict with general public use of the public water or the enjoyment of normal property rights by adjacent property owners. Examples of the nonsignificant conflict activities include swimming, sunbathing, or picnicking. The covenants must limit the total number of vehicles allowed to be parked and the total number of watercraft allowed to be continuously moored, docked, or stored over water, and must require centralization of all common facilities and activities in the most suitable locations on the lot to minimize topographic and vegetation alterations. They must also require all parking areas, storage buildings, and other facilities to be screened by vegetation or topography as much as practical from view from the public water, assuming summer, leaf-on conditions.

Subp. 2a. **Lot area and width standards for single, duplex, triplex, and quad residential development; lake classes.** The lot area and width standards for single, duplex, triplex, and quad residential developments for the lake classes are:

A. Natural Environment, no sewer:

Lot area (square feet)	Riparian lots	Nonriparian lots
Single	80,000	80,000
Duplex	120,000	160,000
Triplex	160,000	240,000
Quad	200,000	320,000
Lot width (feet)		
Single	200	200
Duplex	300	400
Triplex	400	600
Quad	500	800

B. Recreational Development, no sewer:

Lot area (square feet)	Riparian lots	Nonriparian lots
Single	40,000	40,000
Duplex	80,000	80,000
Triplex	120,000	120,000
Quad	160,000	160,000
Lot width (feet)		
Single	150	150
Duplex	225	265
Triplex	300	375
Quad	375	490

C. General Development, no sewer:

Lot area (square feet)	Riparian lots	Nonriparian lots
Single	20,000	40,000
Duplex	40,000	80,000
Triplex	60,000	120,000
Quad	80,000	160,000
Lot width (feet)		
Single	100	150
Duplex	180	265
Triplex	260	375
Quad	340	490

D. Natural Environment, sewer:

Lot area (square feet)	Riparian lots	Nonriparian lots
Single	40,000	20,000
Duplex	70,000	35,000
Triplex	100,000	52,000
Quad	130,000	65,000
Lot width (feet)		
Single	125	125
Duplex	225	220
Triplex	325	315
Quad	425	410

E. Recreational Development, sewer:

Lot area (square feet)	Riparian	Nonriparian
	lots	lots
Single	20,000	15,000
Duplex	35,000	26,000
Triplex	50,000	38,000
Quad	65,000	49,000
Lot width (feet)		
Single	75	75
Duplex	135	135
Triplex	195	190
Quad	255	245

F. General Development, sewer:

Lot area (square feet)	Riparian	Nonriparian
	lots	lots
Single	15,000	10,000
Duplex	26,000	17,500
Triplex	38,000	25,000
Quad	49,000	32,500
Lot width (feet)		
Single	75	75
Duplex	135	135
Triplex	195	190
Quad	255	245

Subp. 2b. Lot width standards for single, duplex, triplex, and quad residential development; river classes. The lot width standards for single, duplex, triplex, and quad residential development for river classes are:

Lot width (feet)

	Re- mote	For- ested	Trans- ition	Agri- cultural	Urban & Tributary	No sewer	Sewer
Single	300	200	250	150	100	75	
Duplex	450	300	375	225	150	115	
Triplex	600	400	500	300	200	150	
Quad	750	500	625	375	250	190	

Subp. 3. Placement and height of structures and facilities on lots. When more than one setback requirement applies to a site, structures and facilities must be located to meet all setbacks. The placement of structures and other facilities on all lots must be managed by shoreland controls as follows:

A. Structure setbacks. The following minimum setbacks presented in the following table for each class of public waters apply to all structures, except water-oriented accessory structures and facilities that are managed according to item H:

(1) Structure setback standards

Class	Ordinary high water level setback (feet)		Setback from top of bluff (feet)
	Unsewered	Sewered	
Natural environment	150	150	30
Recreational development	100	75	30
General development	75	50	30

Remote river segments	200	200	- 30
Forested and transition river segments	150	150	30
Agricultural, urban, and tributary river segments	100	50	30

(2) Exceptions to structure setback standards in subitem (1). Where structures exist on the adjoining lots on both sides of a proposed building site, structure setbacks may be altered without a variance to conform to the adjoining setbacks provided the proposed building site is not located in a shore impact zone or in a bluff impact zone.

B. High water elevations. In addition to the setback requirements of item A, local shoreland controls must regulate placement of structures in relation to high water elevation. Where state-approved, local flood plain management controls exist, structures must be placed at an elevation consistent with the controls. Where these controls do not exist, the elevation to which the lowest floor, including basement, is placed or flood-proofed must be determined as follows:

(1) For lakes, by placing the lowest floor at a level at least three feet above the highest known water level, or three feet above the ordinary high water level, whichever is higher. In instances where lakes have a history of extreme water level fluctuations or have no outlet capable of keeping the lake level at or below a level three feet above the ordinary high water level, local controls may require structures to be placed higher.

(2) For rivers and streams, by placing the lowest floor at least three feet above the flood of record, if data are available. If data are not available, by placing the lowest floor at least three feet above the ordinary high water level, or by conducting a technical evaluation to determine effects of proposed construction upon flood stages and flood flows and to establish the flood protection elevation. Under all three approaches, technical evaluations must be done consistent with parts 6120.5000 to 6120.6200 governing the management of flood plain areas. If more than one approach is used, the highest flood protection elevation determined must be used for placing structures and other facilities.

(3) Water-oriented accessory structures may have the lowest floor placed lower than the elevation determined in this subpart if the structure is constructed of flood-resistant materials to the elevation, electrical and mechanical equipment is placed above the elevation and, if long duration flooding is anticipated, the structure is built to withstand ice action and wind-driven waves and debris.

C. Bluff impact zones. Structures and accessory facilities, except stairways and landings, must not be placed within bluff impact zones.

D. Steep slopes. Local government officials must evaluate possible soil erosion impacts and development visibility from public waters before issuing a permit for construction of sewage treatment systems, roads, driveways, structures, or other improvements on steep slopes. When determined necessary, conditions must be attached to issued permits to prevent erosion and to preserve existing vegetation screening of structures, vehicles, and other facilities as viewed from the surface of public waters, assuming summer, leaf-on vegetation.

E. Proximity to unplatted cemeteries and significant historic sites. No structure may be placed nearer than 50 feet from the boundary of an unplatted cemetery protected under Minnesota Statutes, section 307.08, unless necessary approval is obtained from the Minnesota State Archaeologist's Office. No structure may be placed on a significant historic site in a manner that affects the values of the site unless adequate information about the site has been removed and documented in a public repository.

F. Proximity to roads and highways. No structure may be placed nearer than 50 feet from the right-of-way line of any federal, state, or county highway;

or 20 feet from the right-of-way line of any town road, public street, or others not classified.

G. Height. All structures in residential districts in cities, except churches and nonresidential agricultural structures, must not exceed 25 feet in height.

H. Accessory structures and facilities. All accessory structures and facilities, except those that are water-oriented, must meet or exceed structure setback standards. If allowed by local government controls, each residential lot may have one water-oriented accessory structure or facility located closer to public waters than the structure setback if all of the following standards are met:

(1) The structure or facility must not exceed ten feet in height, exclusive of safety rails, and cannot occupy an area greater than 250 square feet. Detached decks must not exceed eight feet above grade at any point.

(2) The setback of the structure or facility from the ordinary high water level must be at least ten feet.

(3) The structure or facility must be treated to reduce visibility as viewed from public waters and adjacent shorelands by vegetation, topography, increased setbacks, color, or other means acceptable to the local unit of government, assuming summer, leaf-on conditions.

(4) The roof may be used as a deck with safety rails, but must not be enclosed or used as a storage area.

(5) The structure or facility must not be designed or used for human habitation and must not contain water supply or sewage treatment facilities.

(6) As an alternative for general development and recreational development waterbodies, water-oriented accessory structures used solely for watercraft storage, and including storage of related boating and water-oriented sporting equipment, may occupy an area up to 400 square feet provided the maximum width of the structure is 20 feet as measured parallel to the configuration of the shoreline.

(7) Any accessory structures or facilities not meeting the above criteria, or any additional accessory structures or facilities must meet or exceed structure setback standards.

I. Stairways, lifts, and landings. Stairways and lifts are the preferred alternative to major topographic alterations for achieving access up and down bluffs and steep slopes to shore areas. Stairways and lifts must meet the following design requirements:

(1) Stairways and lifts must not exceed four feet in width on residential lots. Wider stairways may be used for commercial properties, public open-space recreational properties, and planned unit developments.

(2) Landings for stairways and lifts on residential lots must not exceed 32 square feet in area. Landings larger than 32 square feet may be used for commercial properties, public open-space recreational properties, and planned unit developments.

(3) Canopies or roofs are not allowed on stairways, lifts, or landings.

(4) Stairways, lifts, and landings may be either constructed above the ground on posts or pilings, or placed into the ground, provided they are designed and built in a manner that ensures control of soil erosion.

(5) Stairways, lifts, and landings must be located in the most visually inconspicuous portions of lots, as viewed from the surface of the public water assuming summer, leaf-on conditions, whenever practical.

(6) Facilities such as ramps, lifts, or mobility paths for physically handicapped persons are also allowed for achieving access to shore areas, provided that the dimensional and performance standards of subitems (1) to (5) are complied with in addition to the requirements of chapter 1340.

J. Decks. Except as provided in item H, decks must meet the structure

setback standards. Decks that do not meet setback requirements from public waters may be allowed without a variance to be added to structures existing on the date the shoreland structure setbacks were established by ordinance, if all of the following criteria and standards are met:

(1) a thorough evaluation of the property and structure reveals no reasonable location for a deck meeting or exceeding the existing ordinary high water level setback of the structure;

(2) the deck encroachment toward the ordinary high water level does not exceed 15 percent of the existing shoreline setback of the structure from the ordinary high water level or does not encroach closer than 30 feet, whichever is more restrictive; and

(3) the deck is constructed primarily of wood, and is not roofed or screened.

Subp. 4. Shoreland alterations. Vegetative alterations and excavations or grading and filling necessary for the construction of structures and sewage treatment systems under validly issued permits for these facilities are exempt from the vegetative alteration standards in this subpart and separate permit requirements for grading and filling. However, the grading and filling conditions of this subpart must be met for issuance of permits for structures and sewage treatment systems. Alterations of vegetation and topography must be controlled by local governments to prevent erosion into public waters, fix nutrients, preserve shoreland aesthetics, preserve historic values, prevent bank slumping, and protect fish and wildlife habitat. Public roads and parking areas, as regulated by subpart 5, are exempt from the provisions of this part.

A. Removal or alterations of vegetation, except for forest management or agricultural uses as provided for in subparts 7 and 8, is allowed according to the following standards:

(1) Intensive vegetation clearing within the shore and bluff impact zones and on steep slopes is not allowed. Intensive vegetation clearing outside of these areas is allowed if the activity is consistent with the forest management standards in subpart 8.

(2) Limited clearing of trees and shrubs and cutting, pruning, and trimming of trees to accommodate the placement of stairways and landings, picnic areas, access paths, livestock watering areas, beach and watercraft access areas, and permitted water-oriented accessory structures or facilities, as well as providing a view to the water from the principal dwelling site, in shore and bluff impact zones and on steep slopes is allowed, provided that:

(a) the screening of structures, vehicles, or other facilities as viewed from the water, assuming summer, leaf-on conditions, is not substantially reduced;

(b) along rivers, existing shading of water surfaces is preserved; and

(c) the above provisions are not applicable to the removal of trees, limbs, or branches that are dead, diseased, or pose safety hazards.

(3) Use of fertilizer and pesticides in the shoreland management district must be done in such a way as to minimize runoff into the shore impact zone or public water by the use of earth, vegetation, or both.

B. Before grading or filling on steep slopes or within shore or bluff impact zones involving the movement of more than ten cubic yards of material or anywhere else in a shoreland area involving movement of more than 50 cubic yards of material, it must be established by local official permit issuance that all of the following conditions will be met. The following conditions must also be considered during subdivision, variance, building permit, and other conditional use permit reviews.

(1) Before authorizing any grading or filling activity in any type 2,

3, 4, 5, 6, 7, or 8 wetland, local officials must consider how extensively the proposed activity would affect the following functional qualities of the wetland:

- (a) sediment and pollutant trapping and retention;
- (b) storage of surface runoff to prevent or reduce flood damage;
- (c) fish and wildlife habitat;
- (d) recreational use;
- (e) shoreline or bank stabilization; or
- (f) noteworthiness, including special qualities such as historic

significance, critical habitat for endangered plants and animals, or others.

This evaluation must also include a determination of whether the wetland alteration being proposed requires permits, reviews, or approvals by other local, state, or federal agencies such as a watershed district, the Minnesota Department of Natural Resources, or the United States Army Corps of Engineers.

(2) Alterations must be designed and conducted in a manner that ensures only the smallest amount of bare ground is exposed for the shortest time possible.

(3) Mulches or similar materials must be used, where necessary, for temporary bare soil coverage, and a permanent vegetation cover must be established as soon as possible.

(4) Methods to minimize soil erosion and to trap sediments before they reach any surface water feature must be used.

(5) Altered areas must be stabilized to acceptable erosion control standards consistent with the field office technical guides of the local soil and water conservation districts and the United States Soil Conservation Service.

(6) Fill or excavated material must not be placed in a manner that creates an unstable slope.

(7) Plans to place fill or excavated material on steep slopes must be reviewed by qualified professionals for continued slope stability and must not create finished slopes of 30 percent or greater.

(8) Fill or excavated material must not be placed in bluff impact zones.

(9) Any alterations below the ordinary high water level of public waters must first be authorized by the commissioner under Minnesota Statutes, section 105.42.

(10) Alterations of topography must only be allowed if they are accessory to permitted or conditional uses and do not adversely affect adjacent or nearby properties.

(11) Placement of natural rock riprap, including associated grading of the shoreline and placement of a filter blanket, is permitted if the finished slope does not exceed three feet horizontal to one foot vertical, the landward extent of the riprap is within ten feet of the ordinary high water level, and the height of the riprap above the ordinary high water level does not exceed three feet.

C. Connections to public waters. Excavations where the intended purpose is connection to a public water, such as boat slips, canals, lagoons, and harbors, must be controlled by local shoreland controls. Permission for excavations may be given only after the commissioner has approved the proposed connection to public waters.

Subp. 5. Placement and design of roads, driveways, and parking areas. Public and private roads, driveways, and parking areas must be designed to take advantage of natural vegetation and topography to achieve maximum screening from view from public waters. They must be designed and constructed to minimize and control erosion to public waters consistent with the field office technical guides of the local soil and water conservation district, or other applicable technical materials.

A. Roads, driveways, and parking areas must meet structure setbacks and must not be placed within bluff and shore impact zones, when other reasonable and feasible placement alternatives exist. If no alternatives exist, they may be placed within these areas, and must be designed to minimize adverse impacts.

B. Public and private watercraft access ramps, approach roads, and access-related parking areas may be placed within shore impact zones provided the vegetative screening and erosion control conditions of this subpart are met. For private facilities, the grading and filling provisions of subpart 4, item B, must also be met.

Subp. 6. [Repealed, 13 SR 3029]

Subp. 7. **Agricultural use standards.** The agricultural use standards for shoreland areas are contained in items A, B, C, and D.

A. The shore impact zone for parcels with permitted agricultural land uses is equal to a line parallel to and 50 feet from the ordinary high water level.

B. General cultivation farming, grazing, nurseries, horticulture, truck farming, sod farming, and wild crop harvesting are permitted uses if steep slopes and shore and bluff impact zones are maintained in permanent vegetation or operated under an approved conservation plan (Resource Management Systems) consistent with the field office technical guides of the local soil and water conservation districts or the United States Soil Conservation Service.

C. Animal feedlots as defined by the Minnesota Pollution Control Agency, where allowed by zoning district designations, must be reviewed as conditional uses and must meet the following standards:

(1) New feedlots must not be located in the shoreland of watercourses or in bluff impact zones and must meet a minimum setback of 300 feet from the ordinary high water level of all public waters basins.

(2) Modifications or expansions to existing feedlots that are located within 300 feet of the ordinary high water level or within a bluff impact zone are allowed if they do not further encroach into the existing ordinary high water level setback or encroach on bluff impact zones.

(3) A certificate of compliance, interim permit, or animal feedlot permit, when required by parts 7020.0100 to 7020.1900, must be obtained by the owner or operator of an animal feedlot.

D. Use of fertilizer, pesticides, or animal wastes within shorelands must be done in such a way as to minimize impact on the shore impact zone or public water by proper application or use of earth or vegetation.

Subp. 8. **Forest management standards.** The harvesting of timber and associated reforestation or conversion of forested use to a nonforested use must be conducted consistent with the following standards:

A. Timber harvesting and associated reforestation must be conducted consistent with the provisions of the Minnesota Nonpoint Source Pollution Assessment-Forestry and the provisions of Water Quality in Forest Management "Best Management Practices in Minnesota."

B. If allowed by local governments, forest land conversion to another use requires issuance of a conditional use permit and adherence to the following standards:

(1) shore and bluff impact zones must not be intensively cleared of vegetation; and

(2) an erosion and sediment control plan is developed and approved by the local soil and water conservation district before issuance of a conditional use permit for the conversion.

C. Use of fertilizer, pesticides, or animal wastes within shorelands must be done in such a way as to minimize impact on the shore impact zone or public water by proper application or use of earth or vegetation.

Subp. 9. Extractive use standards. Processing machinery must be located consistent with setback standards for structures from ordinary high water levels of public waters and from bluffs.

An extractive use site development and restoration plan must be developed, approved by the local government, and followed over the course of operation of the site. The plan must address dust, noise, possible pollutant discharges, hours and duration of operation, and anticipated vegetation and topographic alterations. It must also identify actions to be taken during operation to mitigate adverse environmental impacts, particularly erosion, and must clearly explain how the site will be rehabilitated after extractive activities end.

Subp. 10. Standards for commercial, industrial, public, and semipublic uses. Surface water-oriented commercial uses and industrial, public, or semipublic uses with similar needs to have access to and use of public waters may be located on parcels or lots with frontage on public waters. Uses without water-oriented needs must be located on lots or parcels without public waters frontage, or, if located on lots or parcels with public waters frontage, must either be set back double the normal ordinary high water level setback or be substantially screened from view from the water by vegetation or topography, assuming summer, leaf-on conditions. Those with water-oriented needs must meet the following standards:

A. In addition to meeting impervious coverage limits, setbacks, and other zoning standards presented elsewhere in parts 6120.2500 to 6120.3900, the uses must be designed to incorporate topographic and vegetative screening of parking areas and structures.

B. Uses that require short-term watercraft mooring for patrons must centralize these facilities and design them to avoid obstructions of navigation and to be the minimum size necessary to meet the need.

C. Uses that depend on patrons arriving by watercraft may use signs and lighting to convey needed information to the public, subject to the following general standards:

(1) No advertising signs or supporting facilities for signs may be placed in or upon public waters. Signs conveying information or safety messages may be placed in or on public waters by a public authority or under a permit issued by the county sheriff.

(2) Signs may be placed, when necessary, within the shore impact zone if they are designed and sized to be the minimum necessary to convey needed information. They must only convey the location and name of the establishment and the general types of goods or services available. The signs must not contain other detailed information such as product brands and prices, must not be located higher than ten feet above the ground, and must not exceed 32 square feet in size. If illuminated by artificial lights, the lights must be shielded or directed to prevent illumination out across public waters.

(3) Other outside lighting may be located within the shore impact zone or over public waters if it is used primarily to illuminate potential safety hazards and is shielded or otherwise directed to prevent direct illumination out across public waters. This does not preclude use of navigational lights.

Subp. 11. Stormwater management. Local governments must consider proper stormwater management in all reviews, approvals, and permit issuances under shoreland management controls adopted under parts 6120.2500 to 6120.3900. The following general and specific standards must be incorporated into local government shoreland management controls and their administration.

A. The following are general standards:

(1) When possible, existing natural drainageways, wetlands, and vegetated soil surfaces must be used to convey, store, filter, and retain stormwater runoff before discharge to public waters.

(2) Development must be planned and conducted in a manner that

will minimize the extent of disturbed areas, runoff velocities, erosion potential, and reduce and delay runoff volumes. Disturbed areas must be stabilized and protected as soon as possible and facilities or methods used to retain sediment on the site.

(3) When development density, topographic features, and soil and vegetation conditions are not sufficient to adequately handle stormwater runoff using natural features and vegetation, various types of constructed facilities such as diversions, settling basins, skimming devices, dikes, waterways, and ponds may be used. Preference must be given to designs using surface drainage, vegetation, and infiltration rather than buried pipes and man-made materials and facilities.

B. The following are specific standards:

(1) Impervious surface coverage of lots must not exceed 25 percent of the lot area.

(2) When constructed facilities are used for stormwater management, they must be designed and installed consistent with the field office technical guide of the local soil and water conservation districts.

(3) New constructed stormwater outfalls to public waters must provide for filtering or settling of suspended solids and skimming of surface debris before discharge.

Subp. 12. **Mining of metallic minerals and peat, as defined by Minnesota Statutes, sections 93.44 to 93.51.** Mining of metallic minerals and peat shall be a permitted use provided the provisions of Minnesota Statutes, sections 93.44 to 93.51, are satisfied.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.3400 SANITARY PROVISIONS.

Subpart 1. [Repealed, 13 SR 3029]

Subp. 2. **Water supply.** Any public or private supply of water for domestic purposes must meet or exceed standards for water quality of the Minnesota Department of Health and the Minnesota Pollution Control Agency.

Private wells must be located, constructed, maintained, and sealed in accordance with or in a more thorough manner than the Water Well Construction Code of the Minnesota Department of Health.

Subp. 3. **Sewage treatment.** Any premises used for human occupancy must be provided with an adequate method of sewage treatment.

A. Publicly-owned sewer systems must be used where available.

B. All private sewage treatment systems must meet or exceed applicable rules of the Minnesota Department of Health, the Minnesota Pollution Control Agency, specifically chapter 7080 for individual sewage treatment systems, and any applicable local government standards.

C. On-site sewage treatment systems must be set back from the ordinary high water level in accordance with the following table:

Sewage Treatment System Setback Standards

Class	Setback from ordinary high water level (feet)
Natural environment	150
Recreational development	75
General development	50
Remote river segments	150
Forested river segments	100
Transition river segments	100

Agricultural river segments	75
Urban and tributary river segments	75

D. Local governments must develop and implement programs to identify and upgrade sewage treatment systems that are inconsistent with the sewage treatment system design criteria identified in item B, exclusive of the appropriate setback from the ordinary high water level in item C. These programs must require reconstruction of existing nonconforming sewage systems whenever a permit or variance of any type is required for any improvement on, or use of, the property, and must include at least one of the following approaches:

(1) a systematic review of existing records to determine which systems in the jurisdiction are nonconforming and requiring reconstruction when practicable;

(2) a systematic on-site inspection program including all properties where adequate record of conformances does not exist, identifying nonconforming or illegal systems and requiring reconstruction when appropriate;

(3) a notification or education program that is oriented toward convincing substantial numbers of property owners to evaluate their sewage systems and voluntarily upgrade the sewage treatment system, if nonconforming; or

(4) other programs found to be acceptable to the commissioner.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.3500 SUBDIVISION PROVISIONS.

Subpart 1. Land suitability. Each lot created through subdivision must be suitable in its natural state for the proposed use with minimal alteration. Suitability analysis by the local unit of government shall consider susceptibility to flooding, existence of wetlands, soil and rock formations with severe limitations for development, severe erosion potential, steep topography, inadequate water supply or sewage treatment capabilities, near-shore aquatic conditions unsuitable for water-based recreation, important fish and wildlife habitat, presence of significant historic sites, or any other feature of the natural land likely to be harmful to the health, safety, or welfare of future residents of the proposed subdivision or of the community.

Subp. 2. Platting. All subdivisions that create five or more lots or parcels that are 2-1/2 acres or less in size must be processed by local governments as plats in accordance with Minnesota Statutes, chapter 505. Local governments must not record parcels or issue building or sewage permits for lots created after enactment of official controls under parts 6120.2500 to 6120.3900 that are not part of officially approved subdivisions.

Subp. 3. Consistency with other controls. Subdivisions must conform to all other official controls adopted by local governments under parts 6120.2500 to 6120.3900. Local governments must not approve subdivisions that are designed so variances from one or more standards in official controls would be needed to use the lots for their intended purpose. In areas not served by publicly owned sewer and water systems, subdivisions must not be approved by local governments unless domestic water supply is available and soil absorption sewage treatment can be provided for every lot. A lot shall meet the minimum lot size in part 6120.3300, subparts 2a and 2b, including at least a minimum contiguous lawn area, that is free of limiting factors (location and type of water supply, soil type, depth to groundwater or impervious layer, slope, flooding potential, and other limiting factors), sufficient for the construction of two standard soil treatment systems. Lots that would require use of holding tanks must not be approved.

Subp. 4. Information requirements. Subdivision controls must require submission of adequate information to make a determination of land suitability under subpart 1. The information shall include at least the following:

A. topographic contours at ten-foot intervals or less from United States Geological Survey maps or more accurate sources, showing limiting site characteristics;

B. the surface water features required in Minnesota Statutes, section 505.02, subdivision 1, to be shown on plats, obtained from United States Geological Survey quadrangle topographic maps or more accurate sources;

C. adequate soils information to determine suitability for building and on-site sewage treatment capabilities for every lot from the most current existing sources or from field investigations such as soil borings, percolation tests, or other methods;

D. information regarding adequacy of domestic water supply; extent of anticipated vegetation and topographic alterations; near-shore aquatic conditions, including depths, types of bottom sediments, and aquatic vegetation; and proposed methods for controlling stormwater runoff and erosion, both during and after construction activities; and

E. location of 100-year flood plain areas from existing maps or data.

Subp. 5. **Dedications.** If local governments require land or easement dedications, they must provide easements over natural drainage or ponding areas for management of stormwater and significant wetlands.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029.*

6120.3600 [Repealed, 13 SR 3029]

6120.3700 [Repealed, 13 SR 3029]

6120.3800 PLANNED UNIT DEVELOPMENT.

Subpart 1. **Scope of planned unit development provisions.** Local governments must consider incorporating, with approval of the commissioner, provisions into shoreland management controls to allow planned unit developments. The provisions may allow planned unit developments for new projects on undeveloped land, redevelopment of previously built sites, or conversions of existing buildings and land. The provisions must be consistent with standards in this part. During the period between adoption of parts 6120.2500 to 6120.3900 and adoption of local government official controls meeting the planned unit development standards in part 6120.3800, preliminary plans for each planned unit development must be reviewed for consistency with part 6120.3800 and approved by the commissioner before final local government approval.

Subp. 2. **Land use district designation.** If local governments allow planned unit developments, the land use districts in which they are an allowable conditional use must be identified in their official controls and on a zoning map. Designation of the districts must be based on consideration of the criteria in part 6120.3200 and the following criteria:

A. existing recreational use of the surface waters and likely increases in use associated with planned unit developments;

B. physical and aesthetic impacts of increased density;

C. suitability of lands for the planned unit development approach;

D. level of current development in the area; and

E. amounts and types of ownership of undeveloped lands.

Expansions to existing commercial planned unit developments involving up to six dwelling units or sites, unless the density determined under subpart 6, item A is exceeded, may be allowed as permitted uses under standards developed by local units of government. The date of effect of official controls adopted by each local government under this part must be the base date for determination of expansions. Expansions exceeding these limits must be processed as conditional uses and meet the standards in this part.

Subp. 3. Information requirements. Provisions for submission of adequate information by project proponents must be included in official controls. The provisions must include at least the following:

A. a site plan for the project showing property boundaries, surface water features, existing and proposed structures, sewage treatment systems, topographic contours at ten-foot intervals or less, and other facilities; and

B. documents that explain how the project is designed and will function. These ordinarily include covenants that require membership in a property owners association, various easements, a concept statement describing the project, floor plans for structures, and various other drawings or plans.

Subp. 4. Dwelling unit or site density evaluation. Proposed new or expansions to existing planned unit developments must be evaluated using the following procedures and standards:

A. The project parcel must be divided into tiers by locating one or more lines approximately parallel to a line that identifies the ordinary high water level at the following intervals, proceeding landward:

Shoreland Tier Dimensions

	Unsewered (feet).	Sewered (feet)
General development lakes - first tier	200	200
General development lakes - second and additional tiers	267	200
Recreational development lakes	267	267
Natural environment lakes	400	320
All river classes	300	300

B. The area within each tier is next calculated, excluding all wetlands, bluffs, or land below the ordinary high water level of public waters. This area is then subjected to either the residential (subpart 5) or commercial (subpart 6) planned unit development density evaluation steps to arrive at an allowable number of dwelling units or sites.

Subp. 5. Residential planned unit development density evaluation steps and design criteria. The density evaluation steps and design criteria for residential planned unit developments are contained in items A to D.

A. The area within each tier is divided by the single residential lot size standard for lakes or, for rivers, the single residential lot width standard times the tier depth unless the local unit of government has specified an alternative minimum lot size for rivers which shall then be used to yield a base density of dwelling units or sites for each tier. Proposed locations and numbers of dwelling units or sites for the residential planned unit development are then compared with these data and map of the evaluation. Local governments may allow some dwelling unit or site density increases for residential planned unit developments above the densities determined in the evaluation if all dimensional standards in part 6120.3300 are met or exceeded. Maximum density increases may only be allowed if all design criteria in subpart 5, item B, are also met or exceeded. Increases in dwelling unit or site densities must not exceed the maximums in the following table. Allowable densities may be transferred from any tier to any other tier further from the shoreland water body or watercourse; but must not be transferred to any other tier closer.

Maximum Allowable Dwelling Unit Or Site Density Increases For Residential
Planned Unit Developments

Density evaluation tiers	Maximum density increase within each tier (percent)
First	50
Second	100
Third	200
Fourth	200
Fifth	200

B. The design criteria are:

(1) All residential planned unit developments must contain at least five dwelling units or sites.

(2) Residential planned unit developments must contain open space meeting all of the following criteria:

(a) At least 50 percent of the total project area must be preserved as open space.

(b) Dwelling units or sites, road rights-of-way, or land covered by road surfaces, parking areas, or structures, except water-oriented accessory structures or facilities, are developed areas and should not be included in the computation of minimum open space.

(c) Open space must include areas with physical characteristics unsuitable for development in their natural state, and areas containing significant historic sites or unplatted cemeteries.

(d) Open space may include outdoor recreational facilities for use by owners of the dwelling units or sites, or the public.

(e) The shore impact zone, based on normal structure setbacks, must be included as open space. At least 50 percent of the shore impact zone area of existing developments or at least 70 percent of the shore impact zone area of new developments must be preserved in their natural or existing state.

(f) Open space must not include commercial facilities or uses, but may contain water-oriented accessory structures or facilities.

(g) The appearance of open space areas, including topography, vegetation, and allowable uses, must be preserved by use of restrictive deed covenants, permanent easements, public dedication and acceptance, or other equally effective and permanent means.

(h) Open space may include subsurface sewage treatment systems if the use of the space is restricted to avoid adverse impacts on the systems.

(3) Centralization and design of facilities and structures must be done according to the following standards:

(a) Residential planned unit developments must be connected to publicly owned water supply and sewer systems, if available. On-site water supply and sewage treatment systems must be centralized and designed and installed to meet or exceed applicable standards or rules of the Minnesota Department of Health and the Minnesota Pollution Control Agency. On-site sewage treatment systems must be located on the most suitable areas of the development, and sufficient lawn area free of limiting factors must be provided for a replacement soil treatment system for each sewage system.

(b) Dwelling units or sites must be clustered into one or more groups and located on suitable areas of the development. They must be designed and located to meet or exceed the following dimensional standards for the relevant shoreland classification: setback from the ordinary high water level, elevation above the surface water features, and maximum height. Setbacks from the ordinary high water level must be increased for developments with density

increases. Maximum density increases may only be allowed if structure setbacks from the ordinary high water level are increased to at least 50 percent greater than the minimum setback, or the impact on the waterbody is reduced an equivalent amount through vegetative management, topography, or additional means acceptable to the local unit of government and the setback is at least 25 percent greater than the minimum setback.

(c) Shore recreation facilities, including but not limited to swimming areas, docks, and watercraft mooring areas and launching ramps must be centralized and located in areas suitable for them. Evaluation of suitability must include consideration of land slope, water depth, vegetation, soils, depth to groundwater and bedrock, or other relevant factors. The number of spaces provided for continuous beaching, mooring, or docking of watercraft must not exceed one for each allowable dwelling unit or site in the first tier. Launching ramp facilities, including a small dock for loading and unloading equipment, may be provided for use by occupants of dwelling units or sites located in other tiers.

(d) Structures, parking areas, and other facilities must be treated to reduce visibility as viewed from public waters and adjacent shorelands by vegetation, topography, increased setbacks, color, or other means acceptable to the local unit of government, assuming summer, leaf-on conditions.

(e) Water-oriented accessory structures and facilities may be allowed if they meet or exceed design standards contained in part 6120.3300, subpart 3, item H, and are centralized.

(f) Accessory structures and facilities may be allowed if they meet or exceed standards in part 6120.3300, subpart 3, item H, and are centralized.

(4) Erosion control and stormwater management for residential planned unit developments must:

(a) Be designed, and their construction managed, to minimize the likelihood of serious erosion occurring either during or after construction. This must be accomplished by limiting the amount and length of time of bare ground exposure. Temporary ground covers, sediment entrapment facilities, vegetated buffer strips, or other appropriate techniques must be used to minimize erosion impacts on surface water features. Erosion control plans approved by a soil and water conservation district may be required if project size and site physical characteristics warrant.

(b) Be designed and constructed to effectively manage reasonably expected quantities and qualities of stormwater runoff.

C. Administration and maintenance requirements. Before final approval of all residential planned unit developments, local governments must ensure adequate provisions have been developed for preservation and maintenance in perpetuity of open spaces and for the continued existence and functioning of the development as a community.

(1) Open space preservation. Deed restrictions, covenants, permanent easements, public dedication and acceptance, or other equally effective and permanent means must be provided to ensure long-term preservation and maintenance of open space. The instruments must include all of the following protections:

(a) commercial uses prohibited;

(b) vegetation and topographic alterations other than routine maintenance prohibited;

(c) construction of additional buildings or storage of vehicles and other materials prohibited; and

(d) uncontrolled beaching prohibited.

(2) Development organization and functioning. Unless an equally

effective alternative community framework is established, when applicable, all residential planned unit developments must use an owners association with the following features:

(a) Membership must be mandatory for each dwelling unit or site purchaser and any successive purchasers.

(b) Each member must pay a pro rata share of the association's expenses, and unpaid assessments can become liens on units or sites.

(c) Assessments must be adjustable to accommodate changing conditions.

(d) The association must be responsible for insurance, taxes, and maintenance of all commonly owned property and facilities.

D. Conversions. Local governments may allow existing resorts or other land uses and facilities to be converted to residential planned unit developments if all of the following standards are met:

(1) Proposed conversions must be initially evaluated using the same procedures and standards presented in this part for developments involving all new construction. Inconsistencies between existing features of the development and these standards must be identified.

(2) Deficiencies involving water supply and sewage treatment, structure color, impervious coverage, open space, and shore recreation facilities must be corrected as part of the conversion or as specified in the conditional use permit.

(3) Shore and bluff impact zone deficiencies must be evaluated and reasonable improvements made as part of the conversion. These improvements must include, where applicable, the following:

(a) removal of extraneous buildings, docks, or other facilities that no longer need to be located in shore or bluff impact zones;

(b) remedial measures to correct erosion sites and improve vegetative cover and screening of buildings and other facilities as viewed from the water; and

(c) if existing dwelling units are located in shore or bluff impact zones, conditions are attached to approvals of conversions that preclude exterior expansions in any dimension or substantial alterations. The conditions must also provide for future relocation of dwelling units, where feasible, to other locations, meeting all setback and elevation requirements when they are rebuilt or replaced.

(4) Existing dwelling unit or dwelling site densities that exceed standards in this part may be allowed to continue but must not be allowed to be increased, either at the time of conversion or in the future. Efforts must be made during the conversion to limit impacts of high densities by requiring seasonal use, improving vegetative screening, centralizing shore recreation facilities, installing new sewage treatment systems, or other means.

Subp. 6. Commercial planned unit development density evaluation steps and design criteria. The density evaluation steps and design criteria for commercial planned unit developments are contained in items A and B:

A. Density evaluation steps:

(1) Determine the average inside living area size of dwelling units or sites within each tier, including both existing and proposed units and sites. Computation of inside living area sizes need not include decks, patios, stoops, steps, garages, or porches and basements, unless they are habitable space.

- (2) Select the appropriate floor area ratio from the following table:
Commercial Planned Unit Development

Floor Area Ratios*

Public waters classes

Average unit floor area (sq. ft.)	Sewered general development lakes; first tier on unsewered general development lakes; urban, agricultural, tributary river segments	Second and additional tiers on unsewered general development lakes; recreational development lakes; transition and forested river segments	Natural environment lakes; remote river segments
200	.040	.020	.010
300	.048	.024	.012
400	.056	.028	.014
500	.065	.032	.016
600	.072	.038	.019
700	.082	.042	.021
800	.091	.046	.023
900	.099	.050	.025
1,000	.108	.054	.027
1,100	.116	.058	.029
1,200	.125	.064	.032
1,300	.133	.068	.034
1,400	.142	.072	.036
1,500	.150	.075	.038

*For average unit floor areas less than shown, use the floor area ratios listed for 200 square feet. For areas greater than shown, use the ratios listed for 1,500 square feet. For recreational camping areas, use the ratios listed at 400 square feet. Manufactured home sites in recreational camping areas shall use a ratio equal to the size of the manufactured home, or if unknown, the ratio listed for 1,000 square feet.

(3) Multiply the useable area within each tier by the floor area ratio to yield total floor area for each tier allowed to be used for dwelling units or sites.

(4) Divide the area computed in subitem (3) by the average determined in subitem (1). This yields a base number of dwelling units and sites for each tier.

(5) Determine whether the project is eligible for any additional density increases. To be eligible, projects must meet all of the design standards in item B, and exceed one or more of them. The local unit of government may decide how much, if any, increase in density to allow for each tier, but must not exceed the maximum allowable density increases listed in the following table:

**Maximum Allowable Dwelling Unit Or Site Density Increases For
Commercial Planned Unit Developments**

Tier	Maximum density increase within each tier (percent)
First	50
Second	100
Third	200
Fourth	200
Fifth	200

(6) Allowable densities may be transferred from any tier to any other tier further from the shoreland lake or river, but must not be transferred to any other tier closer.

B. The design criteria are:

(1) Open space. Commercial planned unit developments must contain open space meeting all of the following criteria:

(a) At least 50 percent of the total project area must be preserved as open space.

(b) Dwelling units or sites, road rights-of-way, or land covered by road surfaces, or parking areas, except water-oriented accessory structures or facilities, are developed areas and should not be included in the computation of open space.

(c) Open space must include areas with physical characteristics unsuitable for development in their natural state, and areas containing significant historic sites or unplatted cemeteries.

(d) All shore impact zones within commercial planned unit developments must be included as open space, and at least 50 percent of these areas must be preserved in their natural or existing state.

(e) Open space may include outdoor recreation facilities for use by guests staying in dwelling units or sites, or the public.

(f) Open space may include subsurface sewage treatment systems if use of the space is restricted to avoid adverse impacts on the systems.

(2) Design of structures and facilities must be done according to the following standards:

(a) Commercial planned unit developments must be connected to publicly owned water supply and sewer systems, if available. On-site water supply and sewage treatment systems must be designed and installed to meet or exceed applicable rules of the Minnesota Department of Health and the Minnesota Pollution Control Agency. On-site sewage treatment systems must be located on the most suitable areas of the development, and sufficient lawn area free of limiting factors must be provided for a replacement soil treatment system for each sewage system.

(b) Dwelling units or sites must be located on suitable areas of the development. They must be designed and located to meet or exceed the following dimensional standards for the relevant shoreland classification: setback from the ordinary high water level, elevation above surface water features, and maximum height. Maximum density increases may only be allowed if structure setbacks from the ordinary high water level are increased to at least 50 percent greater than the minimum setback, or the impact on the waterbody is reduced an equivalent amount through vegetative management, topography, or other means acceptable to the local unit of government and the setback is at least 25 percent greater than the minimum setback.

(c) Structures, parking areas, and other facilities must be designed and located in a manner that minimizes their visibility from surface water features, assuming summer, leaf-on conditions. The structure, dwelling unit, accessory structure, or parking area must be treated to reduce visibility as viewed from public waters and adjacent shorelands by vegetation, topography, increased setbacks, color, or other means acceptable to the local unit of government assuming summer, leaf-on conditions. Vegetative and topographic screening must be preserved, if existing, or may be required to be provided.

(d) Water-oriented accessory structures and facilities may be located within shore impact zones if they meet or exceed design standards contained in part 6120.3300, subpart 3, item H.

(e) Shore recreation facilities, including but not limited to swimming areas, docks, and watercraft mooring areas and launching ramps, must be centralized and located in areas suitable for them. Evaluation of suitability must include consideration of land slope, water depth, vegetation, soils, depth to groundwater and bedrock, or other relevant factors. The number of watercraft allowed to be continuously beached, moored, or docked must not exceed one for each allowable dwelling unit or site in the first tier, notwithstanding existing mooring sites in an existing harbor. Launching ramp facilities, including a small dock for loading and unloading equipment, may be provided for use by occupants of dwelling units or sites located in other tiers.

(3) Erosion control and stormwater management for commercial planned unit developments must:

(a) Be designed, and their construction managed, to minimize the likelihood of serious erosion occurring either during or after construction. This must be accomplished by limiting the amount and length of time of bare ground exposure. Temporary ground covers, sediment entrapment facilities, vegetated buffer strips, or other appropriate techniques must be used to minimize erosion impacts on surface water features. Erosion control plans approved by a soil and water conservation district may be required if project size and site physical characteristics warrant.

(b) Be designed and constructed to effectively manage reasonably expected quantities and qualities of stormwater runoff. Impervious surface coverage within any tier must not exceed 25 percent of the tier area, except 35 percent impervious surface coverage may be allowed in the first tier of general development lakes with an approved stormwater management plan and consistency with part 6120.3300, subpart 4.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*

6120.3900 ADMINISTRATION.

Subpart 1. Administration and enforcement. Local governments must provide for the administration and enforcement of their shoreland management controls by establishing permit procedures for building construction, installation of sewage treatment systems, and grading and filling.

Subp. 2. [Repealed, 13 SR 3029]

Subp. 3. Variances. Variances may only be granted in accordance with Minnesota Statutes, chapters 394 or 462, as applicable. They may not circumvent the general purposes and intent of the official controls. No variance may be granted that would allow any use that is prohibited in the zoning district in which the subject property is located. Conditions may be imposed in the granting of variances to ensure compliance and to protect adjacent properties and the public interest. In considering variance requests, boards of adjustment must also consider whether property owners have reasonable use of the lands without the variances, whether existing sewage treatment systems on the properties need upgrading

before additional development is approved, whether the properties are used seasonally or year-round, whether variances are being requested solely on the basis of economic considerations, and the characteristics of development on adjacent properties.

Subp. 3a. Conditional uses. In addition to any existing standards local governments may have for reviewing conditional uses, the following standards must be incorporated into local controls and used for reviewing conditional uses located in shoreland areas:

A. a thorough evaluation of the topographic, vegetation, and soils conditions on the site to ensure:

(1) prevention of soil erosion or other possible pollution of public waters, both during and after construction;

(2) limiting visibility of structures and other facilities as viewed from public waters; and

(3) adequacy of the site for water supply and on-site sewage treatment; and

B. an assessment of the types, uses, and numbers of watercraft that the project will generate in relation to the suitability of public waters to safely accommodate these watercraft.

Local governments may impose conditions when granting conditional use permits that specify: increased setbacks from public waters; vegetation allowed to be removed or required to be established; sewage treatment system location, design, or use; location, design, and use requirements for watercraft launching or docking, and for vehicular parking; structure or other facility design, use, and location; phasing of construction; and other conditions considered necessary by the local unit of government.

Subp. 4. Nonconformities.

A. Local governments must require upgrading or replacement of any existing, on-site sewage treatment system identified as a nonconformity under a program established under part 6120.3400. Systems installed according to all applicable local shoreland management standards adopted under Minnesota Statutes, section 105.485, in effect at the time of installation may be considered as conforming unless they are determined to be failing, except that systems using cesspools, leaching pits, seepage pits, or other deep disposal methods, or systems with less soil treatment area separation above groundwater than required by chapter 7080, shall be considered nonconforming.

B. All nonconformities other than on-site sewage treatment systems must be managed according to applicable state statutes and local government official controls.

Subp. 4a. Shoreland management by townships. Townships may adopt shoreland management controls under authority of Minnesota Statutes, section 394.33, subdivision 1, if the controls are not inconsistent with or less restrictive than the controls adopted by the county in which the township is located.

A. For the purposes of parts 6120.2500 to 6120.3900, shoreland management controls adopted by townships will only be considered to be consistent with county controls if they cover the same full range of shoreland management provisions covered by the county controls, contain dimensional standards at least as restrictive as those in the county controls, and do not allow land uses in particular areas that are not allowed under the county's official controls.

B. The township must demonstrate to the county board that their proposed ordinance and administration is at least as restrictive as the county's prior to final adoption by the township. Townships must provide for administration and enforcement of shoreland management controls at least as effective as county implementation. Townships that adopt adequate shoreland controls must follow all of the notification procedures in subpart 6. After adequate shoreland manage-

ment controls are adopted by a township, property owners must only obtain necessary permits and approvals as required in the township shoreland management controls. Property owners do not have to obtain similar permits or approvals under the county's shoreland controls.

Subp. 5. Joint exercise of powers. To facilitate more logical, consistent, and efficient administration of shoreland management controls, local governments are encouraged to enter into joint powers agreements with adjacent or otherwise similarly situated local units of government to jointly administer shoreland management controls pursuant to the procedures and authority of Minnesota Statutes, sections 394.32 and 471.59.

Subp. 6. Notification procedures.

A. Copies of all notices of any public hearings to consider variances, amendments, or conditional uses under local shoreland management controls must be sent to the commissioner or the commissioner's designated representative and postmarked at least ten days before the hearings. Notices of hearings to consider proposed plats must include copies of the plats.

B. A copy of approved amendments and plats, and final decisions granting variances or conditional uses under local shoreland management controls must be sent to the commissioner or the commissioner's designated representative and postmarked within ten days of final action.

C. Townships with shoreland management controls adopted under subpart 4a must also provide these materials to the zoning official of the county.

Statutory Authority: *MS s 105.485*

History: *13 SR 3029*