# CHAPTER 7009 MINNESOTA POLLUTION CONTROL AGENCY AIR QUALITY DIVISION AMBIENT AIR QUALITY STANDARDS

AMBIENT AIR QUALITY STANDARDS         7009 0010       DEFINITIONS         7009 0020       PROHIBITED EMISSIONS.         7009.0030       ENFORCEMENT.         7009.0040       ENFORCEMENT.         7009.0050       MEASUREMENT METHODOLOGY.         EXCEPT FOR HYDROGEN SULFIDE.         7009.0050       MEASUREMENT METHODOLOGY.         FOR HYDROGEN SULFIDE.         7009.0050       TIME OF COMPLIANCE.         7009.0080       STATE AMBIENT AIR QUALITY         STATE AMBIENT AIR QUALITY         STANDARDS.         AIR POLLUTION EPISODES.         7009.1010       DEFINITIONS.         7009.1020       EPISODE LEVELS.         7009.1030       EPISODE LEVELS.         7009.1030       EPISODE LEVELS.         7009.1030       EPISODE LEVELS.         7009.1030       EMISODA ACTIONS.         7009.1030       EMISODA CONTROL ACTIONS.         7009.1050       EMERGENCY POWERS.	<ul> <li>7009.1060 TABLE 1.</li> <li>7009.1070 TABLE 2: EMISSION REDUCTION OBJECTIVES FOR PARTICULATE * MATTER.</li> <li>7009.1080 TABLE 3: EMISSION OBJECTIVES FOR SULFUR OXIDES.</li> <li>7009.1090 TABLE 4: EMISSION REDUCTION OBJECTIVES FOR NITROGEN OXIDES</li> <li>7009.1100 TABLE 5: EMISSION REDUCTION OBJECTIVES FOR HYDROCARBONS.</li> <li>7009.1110 TABLE 6: EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE.</li> <li>. ADOPTION OF FEDERAL REGULATIONS 7009.9000 DETERMINING CONFORMITY OF GENERAL FEDERAL IMPLEMENTATION PLANS.</li> </ul>
--	---

#### AMBIENT AIR QUALITY STANDARDS

#### 7009.0010 DEFINITIONS.

Subpart 1. Scope. For the purpose of parts 7009.0010 to 7009.0080, the following terms have the meanings given them.

Subp. 2. **Primary ambient air quality standards; primary standards.** "Primary ambient air quality standards" or "primary standards" mean levels established to protect the public health from adverse effects. The adverse effects that the standards should protect against include acute or chronic subjective symptoms and physiological changes that are likely to interfere with normal activity in healthy or sensitive individuals or to interfere unreasonably with the enjoyment of life or property.

Subp. 3. Secondary ambient air quality standards; secondary standards. "Secondary ambient air quality standards" or "secondary standards" mean levels established to protect the public welfare from any known or anticipated adverse effects, such as injury to agricultural crops and livestock, damage to or deterioration of property, annoyance and nuisance of persons, or hazards to air and ground transportation.

Statutory Authority: MS s 116.07 subds 2,4

History: 18 SR 614

#### 7009.0020 PROHIBITED EMISSIONS.

No person shall emit any pollutant in such an amount or in such a manner as to cause or contribute to a violation of any ambient air quality standard beyond such person's property or portion thereof, the ambient air quality standards shall apply in those locations. The general public shall not include employees, trespassers, or other categories of people who have been directly authorized by the property owner to enter or remain on the property for a limited period of time and for a specific purpose.

Statutory Authority: MS s 116.07 subds 2,4

History: 18 SR 614

#### 7009.0030 ENFORCEMENT.

The requirement in part 7009.0020 applies without respect to whether emission rules stated in other air pollution control rules of the agency are also being violated. However, in enforcing the ambient air quality standards specified in parts 7009.0010 to 7009.0080, the agency shall not seek payment of a civil or criminal penalty from a person to or with whom a permit or stipulation agreement has been issued or entered into by the agency if and only if:

#### 7009.0030 AMBIENT AIR QUALITY STANDARDS

A. that permit or stipulation agreement establishes emission limitations or standards of performance for the pollutant or precursor thereof for which there is an ambient air quality standard which has been violated; and

B. the person to or with whom the permit or stipulation agreement has been issued or entered into by the agency was in compliance with the corresponding emission limitations and standards of performance at the time of the violation of the ambient air quality standard.

Statutory Authority: MS s 116.07 subds 2;4

History: 18 SR 614

#### 7009.0040 ENFORCEMENT; OPTIONS.

Notwithstanding part 7009.0030, any violations of the ambient air quality standards shall constitute grounds for the modification or revocation of a permit, for action by the agency to amend a stipulation agreement, or for other enforcement action by the agency to further require reduction or control of that person's emissions.

#### Statutory Authority: MS s 116.07 subds 2,4

History: 18 SR 614

# 7009.0050 MEASUREMENT METHODOLOGY, EXCEPT FOR HYDROGEN SULFIDE.

For all ambient air quality standards except hydrogen sulfide, measurements made to determine compliance with the standards shall be performed as set forth in:

A. Code of Federal Regulations, title 40, part 50, National Primary and Secondary Ambient Air Quality Standards, as amended; or

B. Code of Federal Regulations, title 40, part 53–Ambient Air Monitoring Reference and Equivalent Methods, as amended; and

C. Code of Federal Regulations, title 40, part 58, Ambient Air Quality Surveillance, as amended.

Statutory Authority: MS s 116.07

History: 18 SR 614; 19 SR 550

#### 7009.0060 MEASUREMENT METHODOLOGY FOR HYDROGEN SULFIDE.

For hydrogen sulfide, measurements made to determine compliance with the standards shall be performed in accordance with any measurement method approved by the commissioner. The commissioner shall approve a measurement method where the sensitivity, precision, accuracy, response time, and interference levels of the method are comparable to that of the measurement methods for the other pollutants described in part 7009.0050; and when the person seeking to take the measurement has developed and submitted to the agency a quality assurance plan that provides operational procedures for each of the activities described in Code of Federal Regulations, as amended, title 40, part 58, appendix A.2.2, Quality Assurance Requirements for State and Local Air Monitoring Stations.

Statutory Authority: MS s 116.07

History: L 1987 c 186 s 15; 18 SR 614; 19 SR 550

#### 7009.0070 TIME OF COMPLIANCE.

The ozone and sulfur dioxide standards shall be attained as expeditiously as practicable but in no case later than December 31, 1984.

Statutory Authority: MS s 116.07 subds 2,4

History: 18 SR 614

203

### AMBIENT AIR QUALITY STANDARDS 7009.0080

.

### 7009.0080 STATE AMBIENT AIR QUALITY STANDARDS.

The following table contains the state ambient air quality standards.

The following table contains the state ambient air quality standards.								
Pollutant/ Air Contaminant	Primary Standard	Secondary Standard	Remarks					
Hydrogen Sulfide	0.05 ppm by volume (70.0 micrograms per cubic meter)	х -	<ul><li>1/2 hour average not</li><li>to be exceeded over</li><li>2 times per year</li></ul>					
	0.03 ppm by volume (42.0 micrograms per cubic meter)		1/2 hour average not to be exceeded over 2 times in any 5 consecutive days					
Ozone	0.12 ppm by volume (235 micrograms per cubic meter)	0.12 ppm by volume (235 micrograms per cubic meter)	the standard is attained when the expected number of days per calendar year with maximum hourly average concentrations above the standard is equal to or less than one, as determined by Code of Federal Regulations, title 40, part 50, appendix H, Interpretation of the National Ambient Air Quality Standards for Ozone (1981)					
Carbon Monoxide	9 ppm by volume (10 milligrams per cubic meter)	9 ppm by volume (10 milligrams per cubic meter)	maximum 8 hour concentration not to be exceeded more than once per year					
	30 ppm by volume (35 milligrams per cubic meter)	30 ppm by volume (35 milligrams per cubic meter)	maximum 1 hour concentration not to to be exceeded more than once per year					
Hydro carbons	0.24 ppm by volume (160 micrograms per cubic meter)	0.24 ppm by volume (160 micrograms per cubic meter)	maximum 3 hour concentration (6:00 to 9:00 a.m.) not to be exceeded more than once per year, corrected for methane					

### 7009.0080 AMBIENT AIR QUALITY STANDARDS

Sulfur Dioxides	80 micrograms per cubic meter (0.03 ppm by volume)	60 micrograms per cubic meter (0.02 ppm by volume)	maximum annual arithmetic mean
	365 micrograms per cubic meter (0.14 ppm by volume)	365 micrograms per cubic meter (0.14 ppm by volume)	maximum 24 hour concentration not to be exceeded more than once per year
		915 micrograms per cubic meter (0.35 ppm by volume)	maximum 3 hour concentration not to be exceeded more than once per year in Air Quality Control Regions 127, 129, 130, and 132 as set forth in Code of Federal Regulations, title 40, part 81, Designations of Air Quality Control Regions (1981)
		1300 micrograms per cubic meter (0.5 ppm by volume)	maximum 3 hour concentration not to be exceeded more than once per year in Air Quality Control Regions 128, 131, and 133 as set forth in Code of Federal Regulations, title 40, part 81, Designation of Air Quality Control Regions (1981)
	1300 micrograms per cubic meter (0.5 ppm by volume)		maximum 3 hour concentration not to be exceeded more than once per year
	1300 micrograms per cubic meter (0.5 ppm by volume)		maximum 1 hour concentration not to be exceeded more than once per year

#### AMBIENT AIR QUALITY STANDARDS 7009.1000

Particulate Matter	75 micrograms per cubic meter	60 micrograms per cubic meter	maximum annual geometric mean
	260 micrograms per cubic meter	150 micrograms per cubic meter	maximum 24 hour concentration not to be exceeded more than once per year
Nitrogen Dioxides	0.05 ppm by volume (100 micrograms per cubic meter)	0.05 ppm by volume (100 micrograms per cubic meter)	maximum annual arithmetic mean
Lead	1.5 micrograms per cubic meter	same as primary standard	maximum arithmetic mean averaged over a calendar quarter
PM10	150 micrograms per cubic meter	same as primary standard	maximum 24-hour average concentration; the standard is attained when the expected number of days per calendar year exceeding the value of the standard is equal to or less than one
	50 micrograms per cubic meter	same as primary standard	annual arithmetic mean; the standard is attained when the expected annual arithmetic mean concentration is less than or equal to the value of the standard

**Statutory Authority:** *MS s 116.07* **History:** *18 SR 614; 19 SR 550* 

205

#### **AIR POLLUTION EPISODES**

#### 7009.1000 AIR POLLUTION EPISODES.

Parts 7009.1000 to 7009.1110 apply to any owner or operator of any emission facility or stationary source having allowable emissions of any single air pollutant of 250 or more tons per year located within or having air pollutant emissions affecting any area within Minnesota for which an air pollution alert, air pollution warning, air pollution emergency, or air pollution significant harm episode has been declared by the commissioner.

#### Statutory Authority: MS s 116.07

#### History: L 1987 c 186 s 15; 13 SR 2154; 18 SR 614; 20 SR 2316

#### 7009.1010 AMBIENT AIR QUALITY STANDARDS

#### 7009.1010 DEFINITIONS.

Subpart 1. Scope. As used in parts 7009.1000 to 7009.1110, the following words shall have the meaning defined herein.

Subp. 2. Air pollutant. "Air pollutant" means particulate matter, sulfur dioxide, nitrogen oxides, ozone, carbon monoxide, or nonmethane hydrocarbons.

Subp. 3. Alert level. "Alert level" means the concentration of pollutants, as specified in part 7009.1020, at which first stage control actions are to be taken.

Subp. 4. Allowable emission. "Allowable emission" means the emission rate calculated using the maximum rated capacity of the emission facility or stationary source, unless the emission facility or stationary source is subject to enforceable permit conditions which limit the operating rate or hours of operation or both, and the applicable standard of performance in agency rules or the standard in the permit, whichever is more stringent.

Subp. 4a. **Commissioner.** "Commissioner" means the commissioner of the Minnesota Pollution Control Agency or the commissioner's designee.

Subp. 5. **Declaration.** "Declaration" means the formal public notification of an episode made by the commissioner.

Subp. 6. [Repealed by Amendment, L 1987 c 186 s 15]

Subp. 7. **Emergency level.** "Emergency level" means that concentration of pollutants, as specified in part 7009.1020, at which third stage control actions are to be taken.

Subp. 8. **Episode.** "Episode" means that period of time during which ambient air concentrations of air pollutants equal or exceed the alert level and meteorological conditions are such that the air pollutant concentrations can be expected to persist or to increase in the absence of control actions.

Subp. 9. Significant harm level. "Significant harm level" means that concentration of pollutants, as specified in part 7009.1020, at which fourth stage control actions are to be taken.

Subp. 10. **Warning level.** "Warning level" means that concentration of pollutants, as specified in part 7009.1020, at which second stage control actions are to be taken.

Statutory Authority: MS s 116.07 subd 4

History: L 1987 c 186 s 15; 13 SR 2154; 18 SR 614

#### 7009.1020 EPISODE LEVELS.

The level at which the commissioner shall declare an air pollutant alert, warning, emergency, or significant harm episode shall be determined by table 1 in part 7009.1060.

Statutory Authority: MS s 116.07 subd 4

History: L 1987 c 186 s 15; 18 SR 614

#### 7009.1030 EPISODE DECLARATION.

Subpart 1. Alert. An air pollution alert shall be declared by the commissioner when the commissioner finds that the concentration of any air pollutant has reached the alert level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the alert level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken.

Subp. 2. Warning. An air pollution warning shall be declared by the commissioner when the commissioner finds that the concentration of any air pollutant has reached the warning level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the warning level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken. An air pollution warning shall also be declared by the commissioner when the commissioner finds that the alert level concentrations for any air pollutant have persisted in the area for 48 hours and are expected to continue for the subsequent 12 hours.

Subp. 3. **Emergency.** An air pollution emergency shall be declared by the commissioner when the concentration of any air pollutant has reached the emergency level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be

#### AMBIENT AIR QUALITY STANDARDS 7009.1040

expected to remain at, or exceed, the emergency level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken. An air pollution emergency shall also be declared by the commissioner when the commissioner finds that the warning level concentrations for any air pollutant have persisted in the area for 48 hours and are expected to continue for the subsequent 12 hours.

Subp. 4. **Significant harm episode.** An air pollution significant harm episode shall be declared by the commissioner when the concentration of any air pollutant has reached the significant harm level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the significant harm level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken.

Subp. 5. Geographical area. The geographical area subject to episode levels of any air pollutant shall be delineated to the extent feasible and shall be identified in the commissioner's declaration.

Subp. 6. End of episode. The commissioner shall terminate the episode by declaration when:

A. the measured air pollutant concentrations no longer satisfy the criteria specified in part 7009.1020; and

B. the meteorological conditions indicate that there will not be a recurrence of episode levels of air pollutants within 24 hours of control actions are reduced or eliminated.

Statutory Authority: MS s 116.07 subd 4

History: L 1987 c 186 s 15; 18 SR 614

#### 7009.1040 CONTROL ACTIONS.

Subpart 1. **Compliance required.** Notwithstanding the provisions of other rules or of any installation permit, operating permit, stipulation agreement, variances, or order of the agency, all persons shall, upon notification by the commissioner or the commissioner's designee, comply with episode control directives issued by the commissioner.

Subp. 2. Control directive. Control directives issued to any owner or operator of an emission facility shall be based on the emission reduction plan submitted to the commissioner pursuant to subpart 3; provided, however, that in the event that no emission reduction plan has been approved for such facility, the episode control directives shall be based upon the emission reduction objectives set forth at subpart 4.

Subp. 3. Episode emission reduction plan. The owner or operator of each emission facility or stationary source located in an area of the state designated by the commissioner as having exceeded the alert levels in part 7009.1060, table 1, within the last ten years and having allowable emissions of more than 250 tons per year of the pollutant causing the episode, shall submit to the commissioner an episode emission reduction plan to be implemented at the facility or stationary source in the event of a declaration by the commissioner of an air pollution episode. The plan shall be submitted to the commissioner within 90 days of the designation of the area or by September 1, 1995, whichever is later. The plan shall be consistent with the emission reduction objectives in subpart 4 and shall designate at least two individuals to be notified in the event of the declaration of an air pollution episode. The plan shall be commissioner. If the commissioner finds that the plan is inconsistent with such emission reduction objectives, the plan shall be returned to the owner or operator along with a written statement of the reason(s) for disapproval and shall resubmit the plan to the commissioner.

Subp. 4. Emission reduction objectives. For the purpose of these parts, emission reduction objectives shall be as indicated in tables 2 through 6 in parts 7009.1070 to 7009.1110. In the event of episode levels of both particulate matter and sulfur dioxide the commissioner shall direct coal fired electric power generating facilities which pollutant is to be reduced at each facility.

Subp. 5. **Right to enter.** During the time that an air pollution episode declaration is in effect and has not been terminated, the owner or operator of any emission facility who has been directed to implement any portion of the facility's emission reduction plan shall allow

#### 7009.1040 AMBIENT AIR QUALITY STANDARDS

the agency, or any authorized employee or agent of the agency, when authorized by law and upon the presentation of proper credentials to enter upon the property of the owner or operator for the purpose of obtaining information or examining records or conducting surveys or investigations pertaining to the operation of the emission facilities and the control equipment. The owner or operator shall make available on the premises to such agency employee a copy of the episode emission reduction plan for the emission facility and shall, upon request of the agency employee, demonstrate that the control directives issued to the owner or operator are being implemented.

Statutory Authority: MS s 116.07

History: L 1987 c 186 s 15; 13 SR 2154; 18 SR 614; 20 SR 2316

#### 7009.1050 EMERGENCY POWERS.

Nothing in these parts shall be interpreted to preempt the agency's emergency powers as provided in Minnesota Statutes, section 116.11 or to preclude appropriate actions from being taken by the agency to protect the public health.

#### Statutory Authority: MS s 116.07 subd 4

**History:** 18 SR 614

7009.1060 TABLE 1.

	Alert	Warning	Emergency	Significant Harm
SO <sub>2</sub>	300 ppb	600 ppb	800 ppb	1000 ppb
24 hr. avg.	800 µg/m <sup>3</sup>	1600 μg/m <sup>3</sup>	2100 μg/m <sup>3</sup>	2620 µg/m <sup>3</sup>
Part. 24 hr. avg.	375 μg/m <sup>3</sup>	625 μg/m <sup>3</sup>	875 μg/m <sup>3</sup>	1000 µg/m <sup>3</sup>
CO	15 ppm	30 ppm	40 ppm	50 ppm
8 hr. avg.	17 mg/m <sup>3</sup>	34 mg/m <sup>3</sup>	46 mg/m <sup>3</sup>	57.5 mg/m <sup>3</sup>
NO <sub>2</sub>	150 ppb	300 ppb	400 ppb	500 ppb
24 hr. avg.	282 μg/m <sup>3</sup>	565 μg/m <sup>3</sup>	750 μg/m <sup>3</sup>	938 μg/m <sup>3</sup>
NO <sub>2</sub>	600 ppb	1200 ppb	1600 ppb	2000 ppb
1 hr. avg.	1130 μg/m <sup>3</sup>	2260 μg/m <sup>3</sup>	3000 μg/m <sup>3</sup>	3750 µg/m <sup>3</sup>
Ozone	200 ppb	400 ppb	500 ppb	600 ppb
1 hr. avg.	400 µg/m <sup>3</sup>	800 μg/m <sup>3</sup>	1000 μg/m <sup>3</sup>	1200 μg/m <sup>3</sup>
SO <sub>2</sub> x Part. $\mu g/m^3 x \mu g/m^3$ 24 hr. x 24 hr.	65 x 10 <sup>3</sup>	261 x 10 <sup>3</sup>	393 x 10 <sup>3</sup>	490 x 10 <sup>3</sup>

Statutory Authority: MS s 116.07 subd 4 History: 18 SR 614 208

Cianificant

EMISSION FACILITY	AIR POLLUTION ALERT		AIR POLLUTION WARNING	A	IR POLLUTION EMERGENCY	9.1070
1. Coal or oil-fired electric power generating facilities.	a. Substantial reduction by utilization of fuels having lowest available ash content.	а.	Maximum reduction by utiliza- tion of fuels having lowest available ash content.	a.	Maximum reduction by utiliza- tion of fuels having lowest available ash content.	TABLE LATE N
	<ul> <li>Maximum utilization of mid- day (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.</li> </ul>		Maximum utilization of mid- day (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.	Ъ.	Maximum utilization of mid- day (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.	2: 171
	c. Substantial reduction by divert- ing electric power generation to facilities outside of Alert Area.	c.	Maximum reduction by divert- ing electric power generation to facilities outside of Warn- ing Area.	c.	Maximum reduction by divert- ing electric power generation to facilities outside of Emer- gency Area.	EMISSION RE TER.
2. Coal or oil-fired process steam generating facilities.	a. Substantial reduction by utiliza- tion of fuels having lowest avail- able ash content.		Maximum reduction by utiliza- tion of fuels having lowest avail- able ash content.	a.	Maximum reduction by reduc- ing heat and steam demands to absolute necessities consistent with preventing equipment damage.	REDUCTION
	<ul> <li>b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.</li> </ul>		Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.	b.	Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.	OBJECTIVES
	<ul> <li>Reduction of steam load demands consistent with continuing plant operation.</li> </ul>	c.	Reduction of steam load demands consistent with continuing plant operations.	c.	Taking the action called for in the emergency plan.	-
		d.	Making ready for use a plan of action to be taken if an emer- gency develops.			FOR PA

7009 AMBIENT AIR QUALITY STANDARDS 7009.1070 ARTICU-

 A-Manufacturing, processing, and mining industries. AND B-Other persons required by this rule to prepare standby plans.

4. Refuse disposal operations.

- a. Substantial reduction of air contaminants from manufacturing operations by curtailing, postponing, or deferring production and allied operations.
- Maximum reduction by deferring trade waste disposal operations which emit particles.
- c. Reduction of particulate producing heat load demands for processing consistent with continuing plant operations.
- a. Maximum reduction by prevention of open burning.
- b. Substantial reduction by limiting burning of refuse in incinerators to the hours between 12:00 noon and 4:00 p.m.

- a. Maximum reduction of air contaminants from manufacturing operations by, if necessary, assuming reasonable economic hardship by postponing production and allied operations.
- Maximum reduction by deferring trade waste disposal operations which emit particles.
- c. Reduction of particulate producing heat load demands for processing consistent with continuing plant operations.
- a. Maximum reduction by prevention of open burning.
- b. Complete elimination of the use of incinerators.

- a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.
- b. Elimination of air contaminants from trade waste disposal processes which emits particles.
- c. Maximum reduction of particulate producing heat load demands for processing.
- a. Maximum reduction by prevention of open burning.
- b. Complete elimination of the use of incinerators.

210

### AMBIENT AIR QUALITY STANDARDS 7009.1080

### 7009.1080 TABLE 3: EMISSION OBJECTIVES FOR SULFUR OXIDES.

211

	EMISSION FACILITY		AIR POLLUTION ALERT		AIR POLLUTION WARNING	<u>^</u>	IR POLLUTION EMERGENCY
I.	Coal or oil-fired electric power generating facilities.	a.	Substantial reduction by utiliza- tion of fuels having lowest available sulfur content.	8.	Maximum reduction by utiliza- tion of fuels having lowest available sulfur content.	8.	Maximum reduction by utiliza- tion of fuels having lowest available sulfur content.
		Ъ.	Substantial reduction by divert- ing electric power generation to faculities outside of Alert Area.	b.	Maximum reduction by divert- ing electric power generation to facilities outside of Warn- ing Area.	Ъ.	Maximum reduction by divert- ing electric power generation to facilities outside of Emer- gency Area.
2.	Coal or oil-fired process steam generating facilities.	<b>a</b> .	Substantial reduction by utiliza- tion of fuels having lowest available sulfur content.	2.	Maximum reduction by utiliza- tion of fuels having the lowest available sulfur content.	2.	Maximum reduction by reduc- ing heat and steam demands to absolute necessities consis- tent with preventing equipment damage.
		b.	Reduction of steam load demands consistent with con- tinuing plant operations.	b.	Reduction of steam load demands consistent with con- tinuing plant operations.	ь.	Taking the action called for in the emergency plan.
				c.	Making ready for use a plan of action to be taken if an emer- gency develops.		
3.	A Manufucturing and processing industries AND B-Other persons required by this rule to prepare standby plans.	a.	Substantial reduction of air contaminants from manufac- turing operations by curtailing, postponing, or deferring pro- duction and allied operations.	a.	Maximum reduction of air contaminants from manufac- turing operations by, if neces- sary, assuming reasonable economic hardship by post- poning production and allied operations.	<b>a</b> .	Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postpon- ing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equip- ment.
		Ъ.	Muximum reduction by defer- ring trade waste disposal operations which emit sulfur dioxide.	b	Maximum reduction by defer- ring trade waste disposal operations which emit sulfur dioxide.	b	Elimination of air contaminants from trade waste disposal processes which emit sulfur dioxide.
		c.	Reduction of sulfur dioxide producing heat load demands for processing consistent with continuing plant operations.	c.	Reduction of sulfur dioxide producing heat load demands for processing consistent with continuing plant operations.	c.	Maximum reduction of sulfur dioxide producing load demands for processing.

Statutory Authority: MS s 116.07 subd 4 History: 18 SR 614

.

	EMISSION FACILITY		AIR POLLUTION ALERT		AIR POLLUTION WARNING	<u>A</u>	IR POLLUTION EMERGENCY
1.	Steam-electric power generating facilities.	a.	Substantial reduction by utilization of fuel which results in the formation of less air contaminant.	а.	Maximum reduction by utiliza- tion of fuel which results in the formation of less air contaminant.	a.	Maximum reduction by divert- ing electric power generation to facilities outside of Emer- gency Area.
		b.	Substantial reduction by divert- ing electric power generation to facilities outside of Alert Area.	ь.	Maximum reduction by divert- ing electric power generation facilities outside of Warning Area.		
2.	Process steam generating facilities.	a.	Substantial reduction by utilization of fuel which results in the formation of less air contaminant.	a.	Maximum reduction by utiliza- tion of fuel which results in the formation of less air contaminant.	a.	Maximum reduction by reduc- ing heat and steam demands to absolute necessities consistent with preventing equipment damage.
		b.	Reduction of steam load demands consistent with con- tinuing plant operations.	b.	Reduction of steam load demands consistent with con- tinuing plant operations.		
				c.	Making ready for use a plan of action to be taken if an emer- gency develops.		
3.	A – Manufacturing and processing industries. AND B–Other persons required by this rule to prepare standby plans.		Substantial reduction of air contaminants from manufac- turing operations by curtailing, postponing, or deferring pro- duction and allied operations.	a.	Maximum reduction of air con- taminants from manufacturing operations by, if necessary, assuming reasonable economic hardship by postponing produc- tion and allied operations.	a.	Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postpon- ing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equip- ment.

7009.1090 TABLE 4: EMISSION REDUCTION OBJECTIVES FOR NITROGEN OXIDES. 7009.1090 AMBIENT AIR QUALITY STANDARDS

- -

		b.	Maximum reduction by defer- ring trade waste disposal opera- tions which emit nitrogen oxides.	Ъ.	Maximum reduction by defer- ring trade waste disposal opera- tions which emit nitrogen oxides.	Ъ.	Elimination of air contaminants from trade waste disposal processes which emit nitrogen oxides.
		c.	Reduction of nitrogen oxide producing heat load demands for processing consistent with continuing plant operations.	c.	Reduction of nitrogen oxide producing heat load demands for processing consistent with continuing plant operations.	c.	Maximum reduction of nitrogen oxide producing heat load demands for processing.
4.	Stationary internal combustion engines.	a.	Reduction of power demands consistent with continuing operations.	a.	Reduction of power demands consistent with continuing operations.	a.	Maximum reduction by reduc- ing power demands to absolute necessities consistent with personnel safety and prevent- ing equipment damage.
				b.	Maximum reduction by utiliza- tion of fuels or power source which results in the formation of less air contaminants.	b.	Maximum reduction by utiliza- tion of fuels or power source which results in the formation of less air contaminants.
5.	Refuse disposal operations.	a.	Maximum reduction by pre- vention of open burning.	a.	Maximum reduction by pre- vention of open burning.	a.	Maximum reduction by pre-
		b.	Substantial reduction by limiting burning of refuse in incinerators to the hours be- tween 12:00 noon and 4:00 p.m.		Complete elimination of the use of incinerators.	b.	Complete elimination of the use of incinerators.

Copyright © 1997 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

.

213

### 7009.1100 AMBIENT AIR QUALITY STANDARDS

#### 7009.1100 TABLE 5: EMISSION REDUCTION OBJECTIVES FOR HYDROCAR-BONS.

	<ul> <li>a. Elimination of air contaminants by curtailing, postponing, or deferring transfer operations to the extent possible without causing damage to equipment.</li> </ul>	a. Elimination of air contaminants by curtailing, postponing, or deferring transfer operations to the extent possible without causing damage to equipment.	a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, post- poning or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.	a. Maximum reduction by banning vehicle use except for emer- gencies.
	a. maximum reduction of aur contaminants by assuming reasonable economic hardship by postponing transfer opera- tions.	<ul> <li>a. Maximum reduction of air contaminants by assuming reasonable economic hardship by postponing transfer opera- tions.</li> </ul>	<ul> <li>a. Maximum reduction of air contaminants from manufac- turing operations by, if neces- sary, assuming reasonable economic hardship by post- poning production and allied operations.</li> </ul>	<ul> <li>a. Voluntary reduction in vehicle use through increased use of public transport, car pools, and van pools.</li> </ul>
AIR POLLUTION ALERT	a. Suotstantial reduction of all contaminants by curtailing, postponing, or deferring transfer operations.	<ul> <li>a. Substantial reduction of air contaminants by curtailing, postponing, or deferring transfer operations.</li> </ul>	<ul> <li>a. Substantial reduction of air contaminants from manufac- turing operations by curtailing, postponing, or deferring pro- duction and allied operations.</li> </ul>	a. Voluntary reduction in un- necessary vehicle use in response to Agency advisory.
	<ol> <li>retroteun products stor- age and distribution.</li> </ol>	<ol> <li>Surface coating and preparation.</li> </ol>	<ol> <li>A - Manufacturing and processing industries. AND B - Other persons required by this rule to prepare standby plans.</li> </ol>	4. Mobile sources.

# Statutory Authority: MS s 116.07 subd 4

# History: 18 SR 614

215

### AMBIENT AIR QUALITY STANDARDS 7009.1110

#### 7009.1110 TABLE 6: EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE.

AIR POLLUTION EMERGENCY a. Elimination of air contaminants	from manufacturing operations by ceasing, curtailing, post- poning or deferring production and allfed operations to the extent possible without injury to persons or damage to equip- ment.	a. Maximum reduction by pre- vention of open burning.	<ul> <li>Maximum reduction by banning vehicle use except for emer- gencies.</li> </ul>
AIR POLLUTION WARNING a. Maximum reduction of air	contaminants from manufac- turing operations by, if neces- sary, assuming reasonable economic hardship by post- poning production and allied operations.	a. Maximum reduction by pre- vention of open burning.	<ul> <li>a. Voluntary reduction in vehicle use through increased use of public transport, car pools, and van pools.</li> </ul>
ત્વં	_	તાં	
AIR POLLUTION ALERT a. Substantial reduction of air	contaminants from manufac- turing operations by curtailing, postponing, or deferring pro- duction and allied operations.	<ul> <li>a. Maximum reduction by pre- vention of open burning.</li> </ul>	a. Voluntary reduction in un- necessary vehicle use in response to Agency advisory.
	red	9	rj.
EMISSION FACILITY 1. A – Manufacturing	industries. AND B-Other persons required by this rule to prepare standby plans.	2. Refuse disposal operations.	3. Mobile Sources.

### Statutory Authority: MS s 116.07 subd 4 History: 18 SR 614

#### 7009.9000 AMBIENT AIR QUALITY STANDARDS

#### **ADOPTION OF FEDERAL REGULATIONS**

#### 7009.9000 DETERMINING CONFORMITY OF GENERAL FEDERAL ACTIONS TO STATE OR FEDERAL IMPLEMENTATION PLANS.

Code of Federal Regulations, title 40, part 51, subpart W, as amended, entitled "Determining Conformity of General Federal Actions to State or Federal Implementation Plans," is adopted and incorporated by reference, with the exception of Code of Federal Regulations, title 40, part 51, subpart W, section 51.851(a).

Statutory Authority: MS s 116.07

History: 20 SR 1167