

1305.1704 SECTION 1704, SPECIAL INSPECTIONS.

Subpart 1. [Repealed, 32 SR 7]

Subp. 2. **Table 1704.4.** IBC Table 1704.4 is amended as follows:

A. Add "X^b" to the "Periodic" column, row "6. Inspection of concrete and shotcrete placement for proper application techniques."

B. Add footnote "b." to read as follows:

b. Exception: Inspection can be periodic when acceptable to the structural engineer of record and the building official.

Subp. 3. [Repealed, 32 SR 7]

Subp. 4. **Table 1704.5.1.** IBC Table 1704.5.1, is amended as follows:

A. Add "X^b" to the "Periodically during task listed" column, row "4. Grout placement shall be verified to ensure compliance with code and construction document provisions."

B. Add footnote "b." to read as follows:

b. Exception: Inspection can be periodic when acceptable to the structural engineer of record and the building official.

Statutory Authority: *MS s 16B.37; 16B.59 to 16B.76; 326B.101 to 326B.194*

History: *19 SR 1340; 20 SR 2290(NO. 43); 27 SR 1474; 32 SR 7; L 2007 c 140 art 4 s 61; art 13 s 4; L 2008 c 337 s 64*

Published Electronically: *February 23, 2009*