

**1335.1900 FLOODPROOFING REGULATIONS, SECTION 402.1.**

FPR section 402.1 (table 2) is amended to read as follows:

General: Table 2 indicates the various degrees of protection required to permit use of spaces for each floodproofing; the chart in itself shall not be construed as being exhaustive with respect to all requirements imposed by these regulations. In any disputes arising over the interpretation of this chart, the written provisions of these regulations shall be considered as definitive.

**FLOOD-PROOFING CLASSIFICATION OF SPACES  
MINIMUM REQUIREMENTS**

Flood-Proofing Classes	Water-Proofing	Structural Loads	Closure of Openings	Internal Flooding & Draining	Flooring	Walls and Ceilings	Contacts	Elec-trical	Mechan-ical
W1 Completely Dry	Type A	Class 1	Type 1	See Chapter 8	Class 1	Class 1	Class 1	See Chapter 12	See Chapter 13
W2 Essentially Dry	Type B	Class 1	Type 2		Class 2	Class 2	Class 2		
W3 Flooded with Potable Water	Type A	Class 2	Type 3		Class 3	Class 3	Class 3		
W4 Flooded with Flood Water	Type C	Class 3	Type 4		Class 4	Class 4	Class 4		
W5 Non-Flood-Proofing	—	—	Type 5		Class 5	Class 5	Class 5		

**Statutory Authority:** *MS s 104.05*

**Published Electronically:** *July 30, 2007*