

1341.0408 A117.1 SECTION 408, LIMITED-USE/LIMITED-APPLICATION ELEVATORS.

Subpart 1. **A117.1 Section 408.1, General.** A117.1 Section 408.1 is amended to read as follows:

408.1 General. Limited-use/limited-application elevators shall comply with Section 408 and Minnesota Rules, chapter 1307, Minnesota Elevator and Related Devices Code. Elevator operation shall be automatic. Limited-use/limited-application elevators shall not be attendant or key operated and shall provide unassisted entry and exit from the elevator.

Exception: When approved by the administrative authority, attendant or key operation shall be permitted when all occupants have controlled or restricted access to the space served by the elevator.

Subp. 2. [Repealed, 39 SR 95]

Subp. 3. [Repealed, 39 SR 95]

Subp. 4. **A117.1 Section 408.4.3, Platform and hoistway clearance.** A117.1 section 408.4.3 is amended to read as follows:

408.4.3 Platform to Hoistway Clearance. The clearance between the car platform sill and the edge of any hoistway landing shall comply with Minnesota Rules, chapter 1307, Minnesota Elevators and Related Devices.

Statutory Authority: *MS s 16B.37; 16B.59 to 16B.76; 326B.02; 326B.101 to 326B.194*

History: *32 SR 9; L 2007 c 140 art 4 s 61; art 13 s 4; L 2008 c 337 s 64; 39 SR 95*

Published Electronically: *January 27, 2015*