

4664.0380 OTHER LAW; INCORPORATIONS BY REFERENCE.

Subpart 1. **Minnesota Rules.** All residential hospice facility construction, installations, and equipment must comply with the following rules, provided that the rules are not inconsistent with the requirements of this chapter:

- A. chapters 1300 to 1370, the State Building Code;
- B. chapter 4715, the Plumbing Code;
- C. chapter 4720, public water supplies;
- D. chapter 4725, wells and borings; and
- E. chapter 7080, individual sewage treatment systems.

Subp. 2. **Incorporations by reference.** For purposes of this chapter, the documents listed in items A to D are incorporated by reference. They are available from the National Fire Protection Association, 1 Batterymarch Park, Quincy, Massachusetts 02269, and through the Minitex interlibrary loan system. They are subject to frequent change. All residential hospice facility construction, installations, and equipment must conform to the following codes, provided that the requirements of the codes are not inconsistent with the requirements of this chapter:

- A. NFPA 101, Life Safety Code (1997);
- B. NFPA 70, National Electrical Code (1996);
- C. NFPA 13D, Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes (1999); and
- D. NFPA 13R, Standard for the Installation of Sprinkler Systems in Residential Occupancies up to and Including Four Stories in Height (1999).

Statutory Authority: *MS s 144A.752*

History: *28 SR 1639*

Published Electronically: *October 11, 2007*